


Whitlewere pond Sweet P = our 2 P



NOTES ON DISTRBUTION

of

VASCULAR PLANATS

of


NEWFOUNDLAND,

LABRADOR,

and

ADJACENT QUEBEC.

- nfd. s. Lab. or Souf of St Laws.



Badger Brook	E.	Badg. Br.
Bonne Bay		The same of the sa
Elrohy Cove	=	
.siv bne evol a fioned		Ben C.
Liolant etiroib , nobimola		TO .mola
Light entine tagi		B.moIR
Blanc Sablon, Lab.	=	BL. Bab.
Blane Sablon, Lab.	-	Bl. JabQ
dtod " "	=	BlEab&Q
volumentidrohy Pond		98
Elrony Pond Stream		BPB
(E. of Candy Lake)		7
Bradore		
Cow Head		
Channol	E	chan
Lombito		HARL
Exploits Miver		
routh go rordys		
dat waatmatt		
Forteau, Lab.		Fort.

Aport stayout - - - en

Ingornachois Bay

EI

INDEX TO ABBREVIATIONS.

---00----

A

GP

Badg.Br .= Badger Brook Bonne Bay BB. BC. Birchy Cove Ben C. = Benoit's Cove and vic. Blomidon, diorite tablel. 7Blom. DT .= Blom.S = Blomidon, serpentine tabl Blanc Sablon, Lab. Bl.Sab. = Queb. Bl. SabQ = both BlSab&Q = BP Birchy Pond Birchy Pond Stream BPS (E. of Sandy Lake) Brad Bradore Bioch - Biscay Bay, Cow Head CH Chan Auditor Service Channel ExR Exploits River Fort. Forteau, Lab. Geo P George Pond

Goose Ponds (between

Grand Lake & Sandy L)

HB = Hughes Brook

IB = Ingornachoix Bay

BBulls - Bay Bulls -BF - Bishops Fulls B9 - Bluck Sol, Woth Frame Bay, BJ. - Brigus juntim

Both = Botheral . Exploits Riv.

Brig = Brig Bay -

Carl = Carbonear.

IR. = East End, newworld Isl, Dildo Rum, Notre Sam Pay

Gl = Glenwood, Gander River. 87. = Grand Falls.

HH = Holges Hell and adjacent region of Budgein Book.

Kil = Killigrews and ric.

Look	Madda. Reside	Lookout Mt., Bonne Bay
Man R Marb Musg	Control Contro	Manuel's River Marble Reg. Humber R. Mt.Musgrave, "
Pa P Plac PS	=	Port a Port Placentia Port Saunders
CAL	Moreon Agreem	Quiddy Viddy Lake
Ren R	=	Rennies River
Sal SEA Seem SL St Br. Steph St. G St. J. Sum		Salmonier South E Arm, Bonne Bay Mt.Seemore, Birchy Ponds Sandy Lake Steady Brook Falls, Humber R. Valley Stephenville St. Georges St. John's Summerside, Bay of I.
Tab Trin B	March Stores Malaria Sensia	Table Mt., Port a Port Trinity Bay

K. C. Style Brown -

y landeling to a

how a converse and the sail of

P. B. Part aux Paugus

Rushy

St. Somby (touchy)Com, Stout of 1500 - die C: Sauge Com; "" ""


To the second se


The section than have sale Del William on a trung

Virg. W. = Virginia Water

WC. = Wild Cove, Bay of I.

Whit = Whitbourne





POLYPODIACEAE

- Polypodium vingaro I.

Thelyperis Phegopheris (L.) Slosson, Watt Bring Soptoris Connectile (lichx.) Watt Bring Charles Connection (lichx.) Watt

T. Dryopteris (L.) Stesson

100, 545. Mars, Benc, 5050 66. Set. Jak, HK. Saint. Egyllis). E.

C. Stes. Mars, Benc, 50, 67, 10 to Jak, HK. Saint. Egyllis). E.

T. Robertiana (Hoffm. Slokson

- Att alpestris (Hoppe) Tylands var. americanum Buttus lag.

- Adiantum pedatum L. (4

-A. pedatum var.aleuticum Rupr. Blom S. BB.

Ptoridiaquilina (I.) Kuhu, var. Latiusculum (Desr.) Underw.

VBC. 90. 52. Brste. Sum. Sect. Par 150 Holy (NS)

Of. agr., var. pendocandarum Chite.

- 2 Pellaca densa (Brack. Mok., Cryptogramma densa (Brack.) Diels. (12)
 - C. Stelleri (Gmel.)Prantl Mark, ElSat, CH.
 - Asplenium viride L. Bc. Mark. Tak.
 - A. Trichomanes L

a. marinum L ("NewBrienswick")

- Ather Filip-fem, war. sitcheral Rups.

BC, BAS, Buc, Bloms, Garage Sty, Steph, Rat, HR. Besif. Blond, BB. Ving W. & Salu W. (150) ST. - C. H. HH. SR. J. 10.189 Te to. 14.

- Polystichum scopulenum (D.C.E.) Maxon
- P. Lonchitis (L) Roth.
 Boose arm (W). Mart, BC. 3c.
- P. Braunii (Spenner) Frie

- P. acrostichoides (Michx) Schott

Thelythis palustris Schmidel. Drybotoris Tholyptoris (L.) Gray

To novaborascensis (L.) chaquel, Par Par Par Balls,

T. fragrans (L.) dokorof, val. Hookerians Trust

Amounite.

To marginalis (L.) Maguwl.

D. marginalis var.elegans (J.Rob.)

- T. Felix-mas (L.) Anixattul.
BC. Barc, JC,

5P. White (Res) 37, HA. Sh. BF. What. C. novina.

Binc, BC, Fort. NH, St.), Carb, 1

T. spin, var. fructuosa (brickent)

- T. spinulosus var. intermedian (Muhl.) indund

T. spinulosa v. dilataturi (Hossin, Per Toll HR.

Best Blom D. Flac (1805), HH, Carb, What ill, horres a. Kin, Pap - 1.
Stplee. 21. Blills

Cystopteris bulbifera (L.) Bernh.

C. frag, var. (american)

c. frag., var. Laurentians Weatherley.

- C. Fragilis (L.) Bornh. (Luning). P. A. B. C. Brig. B. J. P. A. A. S. J. Roy, Ra. Je, howing. FC. Brig.

- C. montana (Lam.) Bernh. (Ser)
Fort. Elsab, Save.

- Woodsia ilvensis (L.) R. Br. St. Br. St. Ca. J.C. Cart.

- W. alpina (Bolton) S. F. Gray

- W. glabella R.Br.

- W. orogana D.C.E. Cong.

- W. scopulonum D.C.E.

Pteretis modulosa (hicky.) hiemul.

SCHIZEACEAE

OSMUNDACEAE

De Be. Bes. fort. May 184 (Nots) F. L. 188 80 Carb 160.

- 0. regalis v.pumila Milde
- O. Claytoniana L.

 Be. Rene, 136-12 (or in Elem Stand) May 15 (Rest) (co. St. NH, 7C. BF. Stylical, Cl. KB.
- O. cinnamomea L.

 BC SANCES, Sanc. Sty, Style, Par. L. Sou P. Willess

 BC SANCES, Sanc. Styles, Gr. Cont. L. Sou P. Willess

 BL. S. Tap., Belle

OPHIOGLOSSACEAE

- Ophioglossum vulgatum L.
- Botrychium Lunaria (L.) Sw. Blad. Bend. JB. CH. FC. Lt.
- B. simplex E. Hitch,
 - B. simplex v.compositum (Lasch) Milde
- B. remosus (bolisch.

- B. boreale Milde
- B. lanceolatum (Gmel.) Angst. ()
 - B. lane . v. angustisegmentum (Pease & Moore)
- B. ternatum v. rutaefolium (A.Br.) D.C.E.
- Mars. Bl Sas. SP. Pt Riche St. Brig
- . To. virg, v. Europaen. En strong.

EQUISETACEAE

Equisetum arvense L.

10.89. Ir. Bel. Benc. Bloms, Blom.
10.701: 10.8. 1

- E. pratense Ehrh. , or

1600

- Be GP. BPS, Reac, Bescher, 845 Skan, Par. HR. Co. F.
 Bangiby (RN) 17, G. Million, Y. L. K. S. 30, 689 2000

 Co. C. C. C. C. Reiner, Park Oc., Park O
- E. palustro L. Be. man, HR, Geaf. 200. HB;
- Be. SP. B. S. Elsatro. Etg. Stept Gear. Eight (S) 11. My St. R. Je. D. N. Kill, Will. St. DE
- E. hyemale v.affine (Engelm.) A.A.E.
- E. variegatum Schleich. 98, Tab, FC, 2C
- E.variegatum v.Jesupi A.A.E.
- E. scirpoides Michx:

LY66PODIACEAE

- Lycopodium Selago L.

Col. S. Tab. Bloma, BR Holy (Red), Q, M., TO Carles,

- L. Selago v. appressum Desv.

L. Selago v. patens Desv.

L. lucidulum Hichx.

L. lucidulum v.porophilum (Und.& Lloyd) &P. Beac, Clute

L. inundatum L.

Le. Stf. Blom D. Stgreyke (Rts). S. T. O. S. C. C. C.

Pat TrepL. annotinum L.

Be Bore Sty, reie carb, whit clima

L. annat., v. acrifolium Demail

I. Cannot. v. pungens Spring.

E. S. Sem. Ame. Sams. Blooked For Live.

Je, carb. Tob. Bones

L. Clavatum L.

BC, SX, BPS, HR, Blom D. Srg(Rrd), O in the self of the state of th

L. clav. v. monostachyon Grev & Hock.

L. clav. v. megactachyon Fern. & Biss. Br. Bloms, Styl-Gt.

L. obscurum L.

carb. Mart. Cl. Normis a. Carb.

I. obse. v. dendroideum (Michx)D.C.E.

L. sabinaefolium Willd.

L. alpinum L. (hash)

B. complanatum L.

B. Dene, Bisatth Blows: Seem, Badge Br (Rts) 67.70.

104, 819. Whit, cl. Curl Trep.

L. comp. v. flabelliforme Fernald

L. tristachyum Pursh

3

SELAGINELLACEAE

Selaginella selaginoides (L.) Link.

Se RP. Mart. Bay R. (EN) Rance of Some; Flows. Blod.

tal. Tab. A.R. Blom D. PS. F. & M. Ju. Ju. Ju. Ju. J. B. T.

Ku, caus. RP. Fe, Sc., Buf

S. rupestris (L.) Spring.

ISOUTACEAE

Isoetes macrospora Dur.

I. Tuckermani A.Br.v.borealis A.A.E.

- I. Tuck. v. Harveyi (A.A.E.) Clute
 - I. hieroglyphica A.A.E.
 - I. echinospora Dur.
 - I. echin. v. Braunii (Dur.) Engelm.
- I. echin. v. muricata (Dur.)Engelm.

TAXACEAE

 Pinus Etrobus I.

Er. 1. 1845. Pend. Bene Steps Bernes. Experiting in Steps

Er. 1. 1845. 1841. Rf. Cl., howin G. RP.

P. Banksiana Lamb.

P. resinosa Ait.

Thuja occidentalis L.

Juniperus communis L.v. depressa Pursh

I. com. var. negistocapa Fin. 8 Stf. Blomperp. Brig

J. com. v. montana Ait.

BP, Seem, Benc, Blooms, Bloomer, Tas. Elem & CH, Zum, ST.

Fort, QU(RTS) & 3. C. WH. a. J. BT, ST. Rille

Carl. Cl. Novin a. K. B. V. F. F. Let. S. P. Bille.

J. horizontalis Moench.

El 1906. Tel Cl., Margo El Poll & J. O. M. O. R. Jur. Smort JC. B7, PE. B. C. B. C.

Larix laricina (DuRoi) Koch.

1. Let SL. 1886, Much. Ruc. Bland. Bland St. St. Ship.

To the African St. (1877) - 73 S. (1871) - 300.700 Gen.

St. M. Caul. When C. R. 18 82 20 Reg. 1 Offenles

Picea canadensis (Mill.) B. S.P.

BC. But Bilate B. Str. Siept. Tat. Pat: Hill Lin D.

Ac. 670. 67 h.

Te. Ad.

Te. Ad.

P.rubra (DURoi) Dietr.

P. mariana (Mill.) B. S. P.

If C. S. S. B. P. March. Bar. Bland Pol. C. L. W. C. C.

H. J. R. Jw. D. J. L. Smark. J. C. B. F. W. C. C. W. C. C.

homis a. K.B. Brig. Trup Benus

Alies balsamea (L.) Mill

HC. 118. Seem. hour Bruc Wilary & Sil Sope Vet 100.

HK. Sty (Ness) SF, See TC 10. 1 & 1880.

A. bals. v. phanerolepis Fernald.

TYPHACEAE

Typha latifolia L. Rf. Stev. Stev.

SPARGAPIACEAE

Sparganium eurycarpum Engelm.

S. americanum Butt.

ifn(Ma), G).

chlorocarpum Rubb. S. Hirossifalium Cracha.

S. divers. v. acaule (Beeby) Fern. & Rames 3c, Mi, BJ. Carl, Whit, 95, Cl.

Climery Come & Benty Hear (N), Channel (1882) Sty/Etts) R ?

S. fluctuans (Morong) Robins.
Rushy P.

S. minimum Fries AC. Serp, Jc. 94.RP.

Blom 2 (E45). Banel 3 (985). Fort. Eller. RBo, 16 11. 18 HH, Jur. 147, Je. Carb. FC, Larc.

NAJADACEAE

Potamogeton natans L. 4. Steph. Tel. BPS. No. BR. 3+ guller, RP. 9+

P. Oakosianus Robbins

Blad. Lant. G. H. 70.97, hote Samel.

P. polygonifolius Pourret Whit (Rd) BJ. Carl what Portuguelone

P. spihyd. v. cayugensis (Wiegand) Ben. Brad, Bg. Carb.

P. alpinus Balbis.

P. amplifolius Tuck.

P. hat. forma longipedunculatus

P. praelongus Wulf.

P. Rickardsonkx (Bonx)x praelongus forma elegans Tiselius

P. Richardsoni (Benn.) Rydb.

P. perfoliatus L' BESaft. NC. whit novice a.

- P. bupleuroides Fernald Sto. Shop (Red), Red
 - P. nitens Weber
 - P. zosterifolius Schum.
 - P. obtusifolius M. & K.
- P. Friesii Rupr.
 - P. sibirious Benn
- P. pusillus L.

 BC. Steps HR. Blow D. Bl. Salt Q. Jc. Cont. White
 - P. pusillus v. Sturrockii Benn.

P. locunatus Hägstr.

- P. pusillus v. brevifolius Meyer
- P. pusillus v. capitatus Benn.

P. Coculosus Hägstr (Gaspé)

P. rutilus Wolfg.

P. confervoides Reich.

P. dimorphus Raf.

P. filiformis Pers.
Tab. HR. Bloms, W.C. HB, DG. JC

20

400 100

fil bosses

P. interior Rydb.

P. pectinatus I.

P. interruptus-Kit.

P. Robbinsii Oakes

Zannichellia palustris L.

Erg. Styph. horri. 4

J. pal. vas. major (Baem.) koch Ruppia maritima L/, vos. obliqua (Sehus) Asch. 8hr.

R. mas. 24. Crevirostris afaith. R. mas. v. asstila agast.
R. mas. v. Lougipes High.

R. mas., v. exigua Fin. Vr.
ZOSTETA MATIAN I. harris. Com.

Steph. Buc , BC. 40. JR. Cl.

The in a nac steers phylla Risch it hasbon.

Wajas flexilis (Willd.) Rost. & Ech. Re.

JUNCACINACEAE

Triglochin palustris L.

Be, Man, Belance Sto, Suph. Mr. Tat: The Corr.

HB, CH, DB, DA, Ju. RP, Je, RA, Fé Big.

T. maritima L. St. Styl Tax. Ht. Elina. HB. 18. Kook, S.M. .. JE. By, homin ac. R lag.

Scheuchzeria palustris I, vot aueucana thumand S& BC. Berns & D. M. J. 188. HH, S.R. C.

ALISMACEAE

Sagittaria latifolia Willd.

I. arifolia Huto.

S. graminea Hichx. Se. MX (184) . 114 . 64 . whit . 4 7. 54

Lophotocarpus spongiosus (Engelm.) J.G.C.

Alisma Plantago-aquatica L.

HYDROCHARITACEAE

GRAMMEAE

Echinochloa crus-galli (L.) Beauv.

Setaria glauca (L.) Beauv.

- C. verticillata (L.) Beauv.
- C. viridis (L.) Beauv.
- C. virid. v. Wienmanni (R.& S.) Brand
- S. Virid. v. brevideta (Doll) Hitche.

Parisum Lind hainer hack . S. septentionale Timed

S. italica (L.) Beauv.

D. italica v. germanica (Mill) Richter Vanicum bowale wash EP. BPS. Bloms & D. S45. Expl (R15) 11. 4. 5. 137. W.B. / Legrsia oryzoides (L.) Sw.

Anthoxanthum odoratum L. Be. Buc. Sty. Steph Sty (Krs) F. St W. BA. STg. Kis 12 Carl whit, Tois

Phalaris arundinacea L. HR, SciP 97 BT, RB;

P. canariensis L.

Hierochloe alpina (Sw.) R. & J. toj (Rayant) Brucalia (185) Bliato his

H. odorata (L.) Wahl. FC, AB: Bis. A. ad. ras. Fragram (Wills,) Richter. Bl Sat. PS. DR

H. pauciflora R.Br.

Millium effusum L Blab. 36.

1.

Oryzopsis pungens (Torr.) Hitchc.

O. asperifolia Michx.

Stipa canadensis Poir.

Muhlenbergia racemosa (Michx) B. E. P. Sert. HR. Bea Br. Espe (Res) Ch. T

Phleum pratense L.

BC - SC - C. C. SC - Sty. Sty. M. Sty. W. Sty. W.

P. alpinum L. Por Foge, SHS.

A. pratensis L. Supple State State Super State S

L. geniculatus L. C. M. Sty. Sty. To Sty. Carlo, Pal T.

A. aristulatus Michx.

Eporobolus uniflorus (Muhl.) Scrib. & Morr. B. Espe, 18 1 1. 48. 1. 18. 60. Sty. Inip 12.

Phippsia algida R.Br.

BC, Stg. NR. Swop Mt. 97. BR St. Will Call white Kill.

A. alba v. vulgatis (With.) Thurb.

Be, 500, Jun. 18 P. H. P. J. J. J. J. Sty. 10 B. Cart.

1. C. F. B. Tall place

A. alba v. maritima (Lam.) a. m. v. voyor villat. Hm. Sec. Sigh. 3t. Gay il. and all proper up. 4. 4c. Phy D. M.

A. hiemalis (Walt.) B. E. P.

Wound Pelow That. BE, Sept. Too. H. P. P. B. E. E. E.

a. hy. vac, geninata (True) probb 76, Lage

a. hy. v. clar

A. canina L.

Lid. Beness Whit, Pal

a. can, was, mutica

A. borealis Hartm.
29 55, 155, 16as. Bliss Q. 549, Tag. H. Lo. H. Els. him. Sum.
S.m., PtRick. S.R. BA. Carl. Cl., Paß +c

A. bor. v. macrantha Eames

Arctagrostis latifolia Ledeb.

Calamagrostis Pickeringii Gray

EM. Cianto (W), 1 11 (Br. 219, 62, 52, B) 11 (Contract

State of the Contract of the Contract

C. Pick. v. lacustris (Kearney) Hitchc.

Pic. to Billis (tearney) For.

C. canadensis (Michx.) Beauv.

C. canad. v. actininata Vasey
IIR. Blowd, Be. Gr. St. Re. C. Bladt G. Steph. Pat. Geor.
J. WH. B7,579. Kie, BJ. Carl. Cl. Norrina, KB.

C. Langsdorfis (Link.) Thingy.
What. Tab. Blomb, Look, Mark. Blo. FE, My.

C. Scribneri Vasey

C. lapponica Kunth

C. neglecta (Ehrh.)G, II & S.

C. neg. v. borealis (Lange)

C. purpurascens R. Br.

C. hyperborea Lange
Means, Bloms & D. Tab. HR. See P. PS. DB. N. . DES.
Buil

C. hyperb. v. elongata Kearney

Armophila archarda (I.) Link.

Cinna latifolia (Trev.) Friesb.

P.C. St. Att. Blac., Blows, M. Sac., Sty. Style, W. Sac., T.

And Blac. Sty. Style Styl

Holcus lanatus L. whit (Rts)

Sphonopholis pallens (Spreng.) Scribn.

C. pallens v. major (Torr.) Scribn.

Trisetum spicatum (L.) Richter, was Maidenit (and)

T. spic. vas. pilogicume I knaed Fr. his Topic. vas. molle (michy.) Types. T. melicoides (Michx.) Vasey

T. mel. v. majus (Gray) Hitche. Tab, Ramain Br. HR. Seef, 98.

Dupontia Fischeri F. Dr.

D. psilosantha Rupr.

D. micrantha Holm.

Arctophila fulva Rupr.

A. Laestadii Rupr.

A. mucronata Hack.

D. flex. v. montana (L.)Parl.

Blom D. Pt Ruke. PS, Blom, Four Par, 70 14

D. atropurpurea (Wahl.) Schoole

A. atrop. v. minor Vasey

D. atrop. v. latifolia Scribn.

D. brevifolia R.Br.

D. caespitosa (L.) Beauv.

D. caesp. v. arctica. Vasey

D. caesp. v. Wibbeliana (Sond.) Ledeb. Blones, Bloss. Tab. BBs, FC

P. bottnica Wahlenb.

Arrhenatherum elatius (L.) Beauv.

Danthonia spicata (L.) Beauv.

Lif. St. P. Mach. Elems. Sto. Strph. Tob. Plan. D. 1818.

Lif. Q. V. (C.1) / 197. RP. Snock DC, BR. Str. Kil. Cach. Whit,

C. M. J. T. J.

D. intermedia Vasey Bloms. 88s,

Spartina Michauxiana Hitche.
Governous 9 (Erle), B. F. Kil, Morris W. Coppley

Spartina glabre Wahler alterniflorus (Loisel.) Hosr.

S. patens (AIt.) Mühl. Stg. Stym

Phragmites communis Trin.

Sieglingia decumbons (1.) Pemp. Ren R. (Rys), STg. Cart. Br.

Catabrosia aquatica Deauv. Chamel(H+L,) BlSabro, DB. Tal. Fa. P. ..

Branclica striata (Michx.) Advisell Blanck, Tab. H.R. Blanch, 1883, O., Mark J. J.C.,

M. striata forma albicans Fernald

Pleuropogon Sabinii R.Br.

Dactylis glomerata L. BC, Al RP. 97, Sty, Top

Cynosurus cristatus L.

P. compressa L.
M. Mait, Placy, 97, M. 187 white is.

P. eminens J.S. Presl 'Semely, Black Q. Bras; CH, Four. To.

P. abbreviata R.Br.

P. Candbergi Vasey

P. alpina L. Marthaut (W). Blood, But Tab. Tab. Tab. CH. &B. FC.

to The

P. laxa Haenke

U

P. arctica

P. costata Schumaches. 879°, Clas.

- P. andina Nutt.
- P. cenisia All.
- P. glauca Vahl.

 Var. Blab. Brad. Fort, Secon. S. 7. 32. Br. 192.

 P. glauca Vahl.
- P. nemoralis L.
 BC. Blief. Red. HR. JB. PS. CH. Fort, St. 18.
- P. triflora Milib. BE. HR. Stg. Mair BJ. Al. Je. Ba - Pak
- P. trivialis L.
 BC. Barc, 58,579, Card Por . Pars. Str.
- P. debilis Torr.

 BC, BVS. HP. Mars, Str. T. & P. Burn. 15. 12 100 07

P. alsodes Gray .

Glyceria Torreyana (Spreng) Hitchc.

G. obtusa (Muhl.) Trin.

G. canadensis (Michx.) Trin.

C. M. R.C. Sylv. Meps. Jac. C. Lask, Sylv. White H. M. M. C. Lask, Sylv. Market. C. R. B. Brings.

C. nerv. v. stricta Scribn.

AC. B. F.S. Benc. Black to Steph. Tab 1986 in Proceed.

A. C. C. C. C. C. C. Steph. Tab 1986 in Proceed.

G. grandis Wats.

G. pallida (Torr.) Trin. v. Fernaldii.
BC, S+9, 94,
Hitchc.

G. fluitans (L.)R.Br.

G. borealis (Nash) Batch.
Styn, CH. Sto, Ch., Ch., Ch., Whit. 97 ... Pals

Puccinellia angustata D. Br. Francis R. Toch, Dilor Run, Barrett, Funkt, Comt.

P. paupercula (Holin) Fin. 8 Weath, til, Narrisa FC

P. paup. v. alaskana (Scrib, v Mars.) Fim, v Weath. Cont, St G.

F. rubra v. mogastachys Gaudin. June + Bri

P. rubra v. multiflora (Hoffm.) Asch. & G. Be,

F. rubra v. densiflora Hack.

F. rubra v. subvillosa M. & K. Boy of 3 (ETG) Stener. Bar 9, wies Cowa)

F. rubra v. subvilloda forma vivipara French I (Erl) Blom.

F. ovina L. 97, 111. 14

F. ovina v. brevifolia (R. BR.) Hack. Sken,

From v. cake The Curl is .

F, ov. N. Dupma (Schur) Hack,

F. ovina v. supina (Schur) Hack. sub-v.
pubiflora Hack.

Block, Fogo (Soru), Ploves C (Priest). &C

F. elation I.

F. scabrella Torr.

F. Richardsoni Hook.

Bromus secalinus L.

B. racemosus L.

B. ciliatus. .
Emc. Beser. 6411. PS. Exp Sc. Tent K. 920.
Many Exper Jc 94, B7, cars. white KB.

.B. altissimus Pursh

1. Kind

B. Richardsoni

(6, inernis

Lolium perenne L. Benton (Wag), 47

L. per, vor Erminatum Mutel. Closes Sound (Rts.) L. italioun A. Pr.

Agropyrum pungens (Pers.) B. & S.

A. repens (L.) Beauv.

Rice, Miles, Sty. Ma. Som F. P.S. Sty. Man. St.

A. caninum (L.) Beauv. Steps, & 7, 87, houris a Brig.

A. can.v. tenerum (Vasey)Pease & Moore

A. can. v. Hornemanni (Hoch.)P. G M.

A. can. v. Hornemanni (Roch.) P. & H. Blenes. St. Eds. Jo, Tat. Rich Ton, Fe By

Hordeum boreale Ecribn. & Smith Blassa, Ps.

Hordeum jubatum L.

Elymus virginicus L.

E. canadensis L.

E. arenarius L.

E. mollis Trin.

Nardus stricta L.

CYPERACEAE

Dulichium arundinaceum (L.) Brit.

Eleocharis ovata (Roth.)R. & S.

E. obtusa (Willd.) Schultes

E. palustris (L. R.Br. HB. PS Lock, Bl. 27)

E. palus. v. glaucescens (Willd.) Gray

E. palus v.

E. palus. v. major Sonder. Whit,

E. acicularis (L.)R. & S.
Qu., St. Kil, B. C. C. Will Record to the Art of th

B. Sty. Willd.) Schultes

JB. Sty. W. St. RT, Sty. Licente, C. Devile

E. nitida Fernald

E. intermedia (Muhl.) Schultes

Scirpus nanus Spreng

 S. cesp. J. delicatulus Frm.

SC. Caespitosus I. vas callosus Rigel
BC. S. S. B. B. Benc. Donnes. Blad & O. St. Tab

HR Blind, much end will prof to 8%. Tul

De hulsonianus (Hichr.) Fernald

BC & Sem. Buc. Block & O. Steph. Toh. H. M. Min. D.

Man. & J. Q. M. J. H. H. Jur. Je. B. St. St. J. eurl. whit is g.

J. Brig.

S. subterminalis Torr.

Sto, Steph. Pat. PS. Te Big.

2. americanus Pers.

S. validus Vahl.

Steps. Bort(Srs), RP, Captay to.

C. campestris Britton, v. paludosus (A.Nelson) Fernald

S. camp. v. Fernáldi (Bickn.) Bartlett

BC. RAS. BLAL, Bm). Sty. Style. At Berg. NO. HB. Ps. Seet. b7, bl. HH. Lp. B4. Style. Blands

S. rubrot. v. confertus Fernald

S. georgianus Harper

E. cyperinus (L.) Kunth.v. pelius Fernald

2. cyperinus v. condensatus Fernald

C. pedicellatus Fernald

S. atrocinctus Fernald

Macs. Sto. Stops. Red. George Blown We. His. H.

Re. Lp. 30. 134, sig. 6; white the second Ke.

S. atroc. v. brachypodus Fernald .
Scot. Sty. Re. 32, 67, 8ty in whit he is 194.

E. Cham. v. albidum (F.Nyl.) Fernald

Square J. Dumpting Hard (Norm) Batter #. Fi

E. cal. v. crubescens Fernald. GP. Seem. Black, CH, 94, Q, District Rt. Pet

E. opacum (Bjornstr.) Fernald Flomes Come to. E. gracile Koch.

Blas. Bc. Bland, F. A.

E. tenellum Nutt.

13" 363ab, Styr Zank, 154 J. Jankin Cond. Whiz. 97.

Ce. R.P., B.Briels

E. tenellum v. monticola Fernald

E. angust. v.

E. virid. v. Fellowsii, Fernald

RP.

R. alba (L.) Vahl.

Be, Ben C. Stoff, Steph - Blown, H., Food Micon, Mr., Stoff Mich. R. B. M. W. W. C. W. C. P. B.

Trip

R. capillacea Torr.

Thansens mariscoides Muhl.) Tourte

Elyna Bellardi (All.) C. Koch

Robresia caricina Willd. BUSA, Tol. PS, FE. Brig.

Carex seoparta Schk.

C. scop. v. condensa Fernald

 48. Trajecta Mackengie C. tribuloides Wahl v. reducts Bailey NR. Geof. MC 97, MH. BR. Maria

G. Crawfordii Fernald

GC, Mr., Co. P. PS, D. C. M. N. BC. E. B. B. Char.

C. Grawf. v. vigens Fernald

C. pratensis Drejer madle Bay (Jaa)

C. festiva Dewey (Sashé)

C. hormathodes Fernald

C. hornath. v. invisa (W. Boott) Fernald St. Steph-981.

C. silicea Olney

- C. Bebbii Olney
 - C. foenea Willd.
 - C. foenea v. perplexa Bailey
- C. leporina L.

 Be. Renc. Stal. QV, 70 77 Park. Whit. P. P. Lee
- C. aenea Fernald. SK. BPS. BP. Cloc 9. 57 W 144. BP. howard KR.
- C. adusta Boott
 Sw. Plach, 14 M. 124.
- C. gynocrates Wormsk. Let (C. Br. C. Tat. Alams, VI) yF, @ Jange To fee
 - C. dioica L.

C. exilis Dowey

Re CP, SX, BR, Buc. Block Seg Stepp. 7. ... Elma, by

Pab Bry. Trib

C. ursina Dewey

C. stellulata Gooden.

C. stel. v. excelsion (Pailey) Fernald Et. Co. R. C. Call Mat Device, R.C.

C. stel. v. cephalantha (Dailey) Fyrn.

S. stel. v. angustata Carey

LC. Geoms, Fr Se Se, St.

C. Starille Filler. ines.

C. Scirpoides John.

BC. F. S. Bend. Blend F. H. J. C. H. CH.

C. sterdie wiced (true)

PortSami S. Ding.

C. arcta Boott

C. canescens L. Ser & C. HR, Sum &F, C. in

C. canes. v. subloliacea Laestd.

C. Deweyana Schwein. BLSG. St9.

C. Deweyana v. Bolanderi

C. remata L. Mid (herb Gay)

Be. Black + Q 47, mg. HI HK 187

- C. tenuiflora X trisperma
 - C. macloviana D'Urv.
- C. trisperma Dewey

 RC, BFS, GF, SK, Back, BES, FQ, Life Styr, Par

 NK, Elim D., Sum., Viry W., SK, M. D., J. C. T., C. T
- C. trisp. v. Billingii Knight.
 - C. helvola Blytt.
 - C. glareosa Wahlenb.
- C. glar. v. amphigena Fernald

 C. Bon 24. Single Single 6.
 - C. heleonastes Ehrh.

C. lagopina Wahl.

C. norvegica Willd. HB. PS. R. Fere

BC, GP, SK. Buc. Black & D. 209, 19, a million to

C. vulpinoidea Michx.

C. diandra Schrank Fr 154.

C. diand. v. ramosa (Boott) Fernald

C. stipata Muhl/

BE. BPS. Benc. St. P. P. P. H. S. P. M. P. R. R.

The Con. 37. In 20 ye. But the second s

C. chordorhiza thek.

Bychortorezellä:

- C. incurva Leight. (Sno) TI
 - C. nardina Fries. (Ass.)
 - C. capitata Ait. Many
 - C. filifolia Nutt. (La)
- C. stylosa C.A. Moyer
 Triange Holl, Far H. Best. Pan. Park and Basques (CTS)
- C. maritima O.F. Mulder BC, BESALTR. 648. OVC. AS, ST.
 - C. marit. v. erectiuscula Fernald .
 - C. salina Wahlenb. (Sash)

C. sal. v. kattegatensis (Fries) Almg. MESCHOOL STY PS. FC. SAVE

o C. ambusta Boott ' Fc

C. subspathacea Wormsk. (Jash). MC

C. cryptocarpa C.A. Meyer

C. crinita Lam.

C. crin. v. minor Boott

C. crin v. gynandra (Schw.) Schw. & Torr. . PS , mars, No. Man. Sx 9. 87. . . For 100 Will 60 white el Barels

C. crin. v. simulans Fernald

C, aquatilis Wahl.

Res. Res.C. Blood rQ, Stb. 4. PS. 11. 14.

FC Big Whit

C. aquat. v. cuspidata Laestd.

C. aquat. v. stans (Drejer) Boott

C. rigida Good.

. .

C. rig. v. Bigelowii (Torr.) Boott

Lo. scopulorum Holm (Granje)

C. torta Boott

BC. EP. BPS. Blacker W. H.P., Sept. Jan. W. W. C.

C. stricta Lam.

C. stricta v. angustata (Boott) Bailey

C. Lyngbyei Hornam.

mais. Pap. Et. P.S. Tat. Ch., Te., this hydrillary

C. bicolor All.

C. leptalea Wahlenb.

C. R. R. R. C. P. Caro Supe Too M. Of D. Mar Sign Cont. Whit et horrista.

Ten 1:

6. Halleri Gunn.

C. arier of Cochin Wahlend.

5-8 C. atrataf Frovata (Rudgo) Boott Bladol Tat. HR, Fort. Je Time Its.

C. nigra All.

C. polygama Schk.

BC: SP, SX, BPS, Benc, It F. Br. D. Look, St. Single, October 186.

Mg. Q. St. HH. Jur. Lp. Snort SC. Bir. dec. 186. 187.

Line.

C. misandra R. Br.

C. misandroides Formal

C. atrofusca Schk.

C. ustulata Wahlenb.

C. gracillima Schwein.

× 65 - 66-

6. grac., vor. macerrius Fern, V brig.

C. grac. v. humilis Bailey

C. Backii Boott (Gaspél.

C. scirpoidea Mainx. Seem, March, Releas, Gelst. Tab, 1417. Blood, 15, 88_17 bl. WH. Jc. B7. FEtc., Bry,

C. umbellata Schk. ** bravirestris Booth

C. deflexa Hornem.

S. S. Seem. Benc. Berns. All. Berns. J. W. C. W. C. C.

C. Peckin Ecotore (Gashe')

C. communis Bailey

C. novae-angliae Schw.

Doyle's (C+K) Balena (NP)

C. flaccada Schreb.

C. livida (Wahl.) Willd.

Holy, BC, GP, SX, toms, BC Sacol, SV, Stope Tab, His When SF. Co. M. His June 37. Co. My Hel, Mrt. June 20. 10 to Brig.

C. panicea L.

BC. Beac, Bloms, Blosat + Q, Steph. Tab. HR. 47 Jel Wir TO. BF, houris a, For & Brig.

C. pallescens L Bc, Stb, Steph. HR, 97, M. W. C. C.

C. paup. v. pallens Fernald

C. limosa L.

G. Sk. Bland, Bland, Eng. Shepattah. Lart you warm, to well stop for the transfer with the state of the stat

C. oburnea Boott

C. pedunculata Muhl.

C. concinna R. Br.
(Mack & Frisc)

C. rufina Brej.

C. supina Wahlenb.

C. obtusata Lilj.

C. rupestris All.

C. glacialis mackeny. Tob, FC. Brif

C. laxiflora Lam.

C. katahdinensis Fernald 1. W. C.

Commenter for

C. Crawei Dewey

C. flava L. be. GP BP. B. C. Blows. BP fet Spay. HP. JR. Man. HH. Lb. Snork J. C. Q, B7, Kil, cars. Fetc St.

C. Plant Coctions to Caudin. Exp. 1 E M Br. HT. Will Cont.

c. flavor olation Tousch To: 16 . Carlo 70 86, 819 40

c. flava v. gaspensis Fernald. BC. Tale, HR, George

C. Oederi Petz. Sin Super Tes. Se. St. . Fi. Wind

C. Oed. v. punila (Coss. @ Ger.) Pernald

- - c. Oed. v. tumidula Pernald & Wiegand
- C. Hornschuchiana Loppo v. laurentiana Fernald & Wiegand
 - C. Hornsc. v. Maurent X flava v. elat.
 - C. longirostris Torr.
- C. castanea Wahlenb

 BC. Blom (86) Rf. Bloms, Tab. N. R. BG. D. H. G. H. H.

 BC. BT. RP. FETC.
 - C. capillaria L. Best. PS. Feec Brig.
- C. cap. v. elongata Olney

 Se. mad. Bland, B. Lev. Tab. All Man D. Ch. St. J.

 Junite RP

C. arctata Boott

C. debilis Michx. v. Pudgei Bailey

8 %. Mars. Benc. Sty. B. . J. E. T. Ju, Nir. B.7.

1 ** Rid. R. Carl et. R.R. Pap.

C. scabrata Schw.

C. lanuginosa Michx.

C. Houghtonii Torr.

C. oligosperma Michx.

S. S. S. O. S. Gloms, L. C. S. C. C. C. S. C. S.

C. riparia Curtis, v. lacustris

- C. Pseudo-cyperus L.
 - C. hystricina Muhl.
 - C. lurida Wahl.
 - C. lurida v. gracilis (Boott) Bailey
 - C. retrorsa Schw.
 - C. retrorsa v. Robinsoni Fernald
 - C. intumescens Rudge.
 - C. intum. v. Fernaldii Bailey Pine, M. N.C.

C. Hichauxiana Poeckly

De. SP, SX, Bloms, Blomb, S+9 & C. 2 4N 30 RC,

197 B7.579. Coul whit el. KB. 7 197 St.

C. microglochin Wahl.

C. saxatilis L.

C. partier, major Bailey remailed Formald

C. sax. v. miliaris (Michx.) Bailey.

Re, 27, 3%. 3 M. Becos. Best 2. R. S. S. S. Le.

244. SA. Q. Isl. WH. 347, 38, 84, 646, white me ex

C. Mal., X vesicaria SP, SX, BPS, BC, BE fab, St, HH, B7.

C. Grahami Boott

C. compacta R. Br.

C. rotundata Wahl.

C. vesic. v. jejuna Fernald

C. vesic. v. distenta Fries

C. vesic. v. Raeana (Boott) Fernald

C. rostrata Etokes

2. Miller was the Train Brown

C. Rost. var.

.C. rost. v. ambigens Fernald

C. Tuckermani Dewey.

ARACEAE

Arisaema triphyllum (L.)Schott.

Calla palustris L. Sve, 97. mm Balm?

Acorus Calamus L.

ERIOCAULORACEAE

Be. 68. Be mousto with a with Re. 68. Be months and with a Re. 69. Be months and the second and

XYRIDACEAE

Xyris mantana Ries.

Nove Hack (W) Holy (RM), Stf. Pals

JUNCACEAE

Blat, St. Steph, PS; Kil horris

J. Gerardi Losel.

Kil Hachtach

J. compressus Jacq.

J. tenuis Willd.

Street, C. B. Sey & High M. Di C. C. Str. 97 11 8 f.

J. tenuis v. Williamsii Fernald

J. tenuis v anthelatus Wiegand

J. Dudleyi Wiegand

J. Vaseyi Engelm.

I. setaccus Rostt.

Afd. (herb Delesser acc. to Falage)

J. effusus L.

J. effusus v. compactus Lej. 2 Cout. C.Srf. Skyr. W. Co.F. Fac. R. J. J. J. J. B. S. Sud. Let Gy st. ham a Kis. R.P. Top B. S. J.

J. effusus v. conglomeratus (L.) Engelm. Whithourse & 20 mi. n. of Placy, 579, Bg, Coul, whit homosa

J. effusus v. decipiens Buch.

J. effusus v. solutus Fernald & wiegand for P. horin a, RP,

J. effusus v. Pylaci (LaHarpe) Fern. & Wieg. Scop, Wc, Salm R, By, 97 CA

9. Refer a contraction

M. arcticus Willd.

7.2

J. Balticus Willd.v. littoralis Engelm.
1.C. Flows. Bladec St. Steph. Tes. Els. Pier. 97, nome
To Set half

J. balt. v. stenocarpus Buch. & Fern.

J. balt. to. melanogynus Fernald & Wieg.

J. Brenicandotus (Engelm.) Hunes

S. Ch. 187, March 119, Story hit little of the Story.

S. Ch. 187, March 119, By 300 Kis in 2011 1 21.

Brenic 187 1. By ... By ... By ... By ...

J. canalensis J. Gay

J. militaris Bigel.

73

J. nodosus L. Par. AR. Sent. Tak.

I acutiflorus Theh. dabel (acc t. Kahayhl)

5+g(R+S) sygiled, Bg, card, whit, Top Bill

I. accuminates Michy Apolace. to Buchenau)

J. alpinus Vill.
Blows. BBs., JB, S7. B7. 72.

J. artic. v. obtusatus Engelm.

J. artic. v. nigritellus

J. articulatus X Tweedyi

J. squarrosus L.

J. 7?

J. biglumis L.

Af I (acc. t Laharke)

Fé & Brig.

J. triglumis L. Square 9 (gaa) Besat, 9B, Tab, 013,

J. longistylis Torr. Goo. F (E19.) Overfalls, EvertGothery (CTC)

J. stygius L. v. americanus Buch.

J. castanous Em. wfd (Buchensu).

Juzula saltuensis Fernald (Miguelon)
ace & Buchenau.

Bl Sal + Q. Fur.

I. parv. v. melanocarpa (Michx.) Buch. PS. Bloms. HomerCove Hawkes Hack. Korles, Balans FE Big. StB.

L. spadicea (L.)DC.

L. confusa Lindeb.

L. confusa v. subspicata

L. nivalis (Laest.) Berul.

L. COMOSA (Meyer) Irm. + loieg.
Whit. Glan, Baccas J. Blirtin

L. camp, year, consents Pate 7.

L. campestris (L.) DC. v.multiflora SF, SF, Stg. Whit, Channel, Chil

L. camp. v. pallescens G. Wahl.

film.

76 L. camp. v. alpina Gaudin.

L. spicata Blad of. Topsail Hill (hill). stant Haur

d. camp. v. frigioa Buch.

BC. Benc. Besat + Q. St. Ships. Hr. 15, Trys. Kir.

Plac. 29. 52, 144. JC, Sp. Kir. Bg. Ca. 18 21. P.B. M.

LILIACEAE

T. coscinea Richardson

T. glutinosa (Michx.) Pers.

BC, B1. Bins. Tat. M.R. Bland, M. 96 M. M. St., C., Gt., Fig. Big.

Zygadenus chloranthus Richardson

Veratrum viride Ait.

Allium Schoenophrasum L. Blasta,

A. Schoen. v. sibiricum Hartm.

Hemerocallis fulva L.

Lilium canadense L.

Smilacina racemosa (L.) Desf.

S. trifolia (L.) Desf.

St. J. R.S. Br. J. R.S. J. R. S. Skip . H. L. C. ,

My Jel . H. R. S. R. R. S. J. R. L. B. J. Carl. whit el. 1818

Tab FC Bry. Trep & Brills

Haianthemum Chnadense Dosf.

BE. S. E. E. E. S. S. L. E. L. S. C. M. S. C.

S. oreopolus Fernald

S. roseus Michx. Tab. Har. Bland. Pak, FC ME. Brig.

Trillium erectum L.

T. cernum L.
BC. Aps. HR. Geof. ST. BT.

T. undulatum Willd.

9. Finax Dougl. My (acc. Hook. Fl. Bur. an). IRIDACEAE

BC. S., S.E. BES. C. Birms. Refuera. Jan. Sept. W.

I. setosa Pall. v. canadensis Foster BC. Re.C. Black & Sty. Steph. Fort CHILLY M. Vil. 7 C 818, Bri.

I. setosa v. canaden. f. zonalis Kames 140

9. Premina

Sisvrinchium angustifolium Mill.

SC, SK. 11. 349, CH. P. Wich Too, FS, Salm - 1. Notes I Kill Carl m. C. d. S. Pople

S. montanum Greene = 71 .

S. gramineum Curtis Salin - Tenn

S. W. W. ronace Bicker ORCHI DACEAE

Cypripedium arietinum R.Br.

C. parviflorum Salisb. mark, tab, Fe, Brig,

C. parv. v. pubescens (Willd.) Knight

C. hirsutum Mill. Be, Hours, Benc. HR,

C. passerinum Richardson.

C. acaule Ait. Tab. Sig. PaB

Orchis rotundifolia Pursh

Habenaria flava (L.) Gray

N. viridis (L.) RBr. barrens, Flower Cove &C. H. beactesta ctotobaus Bay (Huntoman)

H. hyperborea (L.)R.Br.

BC. Styl Tax. Ha. Him. 1 CN. Fm. 1. 9F. W. HH. Je

H. dilatata (Pursh) Cray

16. Cr. Br. Man. Bigus. 15 Clas. Style. Total Hill Co. 7

16. Cr. Style. House Co. Law. 62 Lb. 30 187. STS

16. Cr. Call. House The Br. C. Brull.

H. dilatata v. media (Rydb.) Ames

H. unalascensis (Spreng.) Wats.

H. obtusata (Pursh) Richards

THE R. C. Bras. Tak, Id. Philippe, Sum, Far, Blinia M.

11. 97, HH. BR. L. D. J.C. Worris a. Fe Sc. Big.

H. albida (L.)R.Br.

H. Hookeri Torr.

H. orbiculata (Pursh) Torr. Benc. Steps. Tak.

 H. macrophylla Goldie

H. blephariglottis (Willd.) Torr.
BC, Benc. Stepa, Haly. Pab, near Cal Trying. Firmense

H. bleph. v. holopetala (Lindl.) Gray

H. leucpphaea (Nutt.) Gray

H. psychodes (L.) Sw. Land, Sum, Place, Man - 97, 4.

H. fimbriata (Ait.)R.Br.

Pogonia ophioglossoides (L.) Ker. Bc. Sty. Man. Whit. STy. Carl. Park

Calopogon pulchellus (Ew.)R.Br.

Arethusa bulbosa L. SP. SF. C. L. M. H. C.

Spiranthes: cernua (L.) Richards.

Epipactis repens (L.) Crantz

E. repens v. ophioides (Fern.) A. A. Eaton 3+6. Skeph. Tab, Lp. horris a.

E. desselata (Lodd.) A. A. E. Strong B. F. Tab. Sun, Whit Salin,

E. decipiens (Hook.) Ames

L. auriculata Wiegand
B.P.S. George J.F.

L. convallarioides (CW.) Porr. Str. Benc. 47 Ht. Jc. Fe Save By

Corallorhiza trifida Chatelain Sum, 97, 144, Novis C. AB, Big

C. maculata Raf. Sem. Benc, Sahn.

C. striata Lindl.

Microstylis monophyllos (L.) Lindl.

M. unifolia (Michx.) BSP.
BC. Or D. Sam. Man, Carlo.

Q.

Calypso bulbosa (L.) Oakes

SALICACEAE

Salix pentandra L.

S. Iucida Muhl, SP. St. HR. Geof. Besal, Eppl, BT.RP.

- S. lucida v. angustifolia Anders.
- S. lucida v. intonsa Fernald BPS, Humb, BlSatra, 97, M.
 - S. serrisima (Bailey) Fernald

 Rushy P

- S. fragilis L.
- S. alba L.
- S. alba v. vitellina
- S. alba v. caerulea Bc, Sty.
- BC. BPS. Sight. H.C. Goop, Mc. CH. J. S. J. J. S. S. S. S. S. S. S. S. Cant. whise , cl. nouris G & F. L. H. Brig Blankles
 - S. caprea
- - S. rost. v. luxurians Fernald

Sig to Bay (Concast) togo, Par, Si Geo.

8. Bebb projecta (") Schuerde/

2. pedic. v. hypoglauca Fernald

C. pedic. v. tenuescens Fernald

C. fuscescens Anders.

C. fusc. v. hebecarpa Fernald

S. argyrocarpa Anders.

5. humilis Harsh. var. Kaveenavenies Farwell. 3. 82. 97. a. m. John MH. 201. JC, B7. white cl. KB, Exp. Branks.

2. phylicifolia L. App. Sx. Sps., Sam Blown the Fort. O. B. J. Sx. Stenounpa Demach & connect for the production of the stenounpa Demach

S. cordata Muhl. SZ, BPS, BC. HP. 27. BT Change in a.

S. glaucophylla Bebb

HR. Hemb, HB,

S. glaucophylla v.

E. pseudo-myrsinitos Anders. bl Sak, Pf.

S. myst. v. braelypore Femand.
Tas'
S. Barclayi Anders.?
Tas, Romaine By, HR.

S. latiuscula Anders.

Mc Fuer's Cove (Wag)

J. myrtillifolia

C. parifolis anders. 90 SP. St. 12. Vag W. S. Ja. ST White FO BELL B. prinfolia, vas. lanceveaka (Bebb) Finals.

S. obtusata Fernald

S. viminalis L. te, 5+7. 2ant.

- S. Smithiana Willd.
- C. lanata L.
- S. Richardsoni Hook.
- C. calcicola Fernald & Wiegand O+Rime, SB, FC, Sc Big
 - S. adenophylla Hook.

S. laurentiana Ferhald

C. Cryptodouta TErnaed Seal Ponis

B. candida Flugge BC, Blows, Blooder HK. Geaf. W.C. JA, PS. Fort. Chi. FC& Big.

S. candida v. denudata Anders. 9B, c#.

S. candida X rostrāta BPS.

S. pellita Anders.

Humb. R. S. A. S. H. Ja. P. N.C. & P. 33, R. R.C.

S. cordifolia Pursh
98, 11 dec. Pthicks. Jan. 112, Fi. Co.

S. cond. v. Inacouning (Rudh. 1 Schwidd BB, Ing 8, Flores Cover, Quirp. Hech. S. labradorica Rydh.

S. desertorum Richardson

- C. chlorolepis Fernald
- S. arctica Pallas
- C. groonlandica Cockerell, Tab, Flower line,
- C. Waghornei Rydb.
- S. atra Rydb.
- S. Macounii Rydb.
- C. callicarpaea Trautty.

C. phlebophylla Anders.

C. Myrsinites L.

C. Uva-ursi Pursh Bel Sat . Tab . Fort . Pt. Rick .

E. herbacea L.

C. polaris Wahl.

S. vestita Pursh

neat. Below Flack. Tal. For the fire

& vest, v. newsalis Fan. 85.79.

Tav

S. reticulata L.

JB, Flower Cove to Birl

S. Reiolepis Fernald

S. orbiculata

S. purpurea L.

Populus alba L.

P. grandidentata Michx.

P. taccamahaca Mill.

P. Malarisora . We, PS. Michauxi (Robija Kang

P. candicans
BC,5t).

MYRICACEAE

Myrica Gale L.

me. he styling of the land to the style of t

M. Gall T. YESULACEAE

Corylus rostrata Ait.

BC. BFS. Erge, Berns, Par. H.R. Dans K. 4V, a. M. Bt. cl, nouris a.

Betula lenta Michx.

Pay it tip is large int then Brokeng of the Fare of

B. lutea Michx.f. Bc. Resc. Steph. HR. Wc. Whit

B. haprzifera Useich St. S. S. J. L. C. Plans, HR, HH, St. Will white cl B. alba v. papyrifera (Marsh.) Spach BC. BC. HR. HH. BR JC. Sty. Bg. white.

B. alba v. glutinosa Wallr.) Trautt.

B. alba v. cordifolia (Rogel) Fernald F. G. Seem. Ben.C. Bellatera, Steph. 14th, 139. 16. Cl. 115 Fc.

B. alba v. minor (Tuck.) Fornald Sec., Blacker, Tas, Blancs & D.

B. alta v carpatica (V. K.) Fernald

B. pondula toth.

B. microphylla Bunge

B. nana L.

B. nana v. Hichauxii Spack. Some P. S.K. Love. Black Billingth, Blander, Fint.

must Expl. IF S. W. St. Marie We a Call

Big Bad Doc . Limite and

SP, 27 BV, St. C. Bland S. CH. Blank & C. 100 JB. VS. Pro. Q. 11; N. N. 1. 104 94. Pap. 16 Pap. Portogal Com

B. glandulosa Nichx. Bl Sab + a, Brom D +S, Fort, Ox

B. gland. v. rotundifolia (Cpach) Regel

Alnus crispa (Ait.) Pursh St SK. A.B. Blater, Ble (11)

A. mollis Fernald

in six six six for C. 51 / 1 M. N.C. May, W. M. C. S. M. W. C. Marie Co. Mar Pall Trep 1818mls

A. incana Willd.

BC, SK. Si, B & Say. Pap. 116. Sam Coper. Dr. m. J. fil. KH. JR. Lp. B4. Il hourin a. KB. PaB

A. vulgaris Mill.

a her same oformer elects in

URTICACEAE

Ulmus americana L.

Urtica gracilis Alt.

U. Lyallii Wataon
34. J. 1. 1818ab. Pa P. T. Sin Lie.

U. Breweri Watson

U. dioica L.
Signal, Signal, Try Pfine Hit

Bo, QV, Ju, Bo, Kil. Carl. 34. Part. Fr. Stille, 11 Mills

SANTALACEAE

Livida Cichadam

Comandra Schardshiana Fernald

Tob. PS. Terr. Stj. Tyle 17, Co. Vers. Te. St. Pat. For

C. Livida Richardsonna Frunces (mackens, Thise) Fe Brig.

LORANTHACEAE

Arceuthobium pusillum Peck

P6LYGONACEAE

Oxyria digyna (L.)Hill Frois 9 (Yarye!

Rumex Patientia L.

Sur BC. Stept Mc, Tr. 19,819 Kil, Bg. Carl.

military Bright Diglary

R. occidentalis Matson Blast R. H. Planes Cove te.

R. Brittanica L.

No. His. 1815, Inchin. 85. Cart. Will. 45 horrow.

Trip

R. crispus L. Bc. Wc. Hl. Ht. hurris a.

R. elongatus Gussone

R. pallidus Bigel.

R. mexicanus Meisn.

R. obtusifolius L.

R. obtusif. v. sylvestris (Lan.) Koch

R. persicarioides L.

of a state of the state of

R. Acetosa L.

Et The Witterstand out To live to

Be, GP, Besal, Steph Ste

Koenigia Islandica L.

Polygonum Roberti Sty, Par. B. Fair P. acadiense Feman

P. Fowleri Robinson / Plat the FR. noris a Fete

P. prolificum (Small) Robinson

P. aviculare L.

BC, Signature, Garage and horizon from the

P. avic. v. littorale (Link) Koch

BC. Brad. Smort JC, 154, Kie, carb., SC 10

P. avic. v. angustissimum Meisn.

P. islandicum Meisn. Brad.

P. viviparum L.

Blad & Q. Tab, Fur. CH. SB, TC NO. Bi.

P. vivip. v. alpinum Wahl. BlSatta,

P. lapathifolium L.

P. lapath. v. Salicifolium Siboh,

D. Scahum Moench.

**Tomontosun Schrank

**Ref. Stylen Sty

P. amphibium I.
BPS. RP B4 what

P. amphib. L. Hartwrightii (Gray) Bissoll

P. Hydropiper L.

BC. Whit. H. ST), Kil. B. J. Cont. white St. cl. hours a stop Trep Denes

P. Persicaria L.

BC. Steps. St. G. BF. ST. Card, GF. horris a librario

P. sagittatum I. Salm, Sig, Sig, Kir. white.

P. Wonvolvulus L.

RC. Whit, Il. JW. 70, 57, B7 87. W.

P. cilinode Michx.

Pitt.

Fagopyrum oscoflontum isoinch.

104

F. tartaricum (L.) Gaertn.

Rheum Rhaponticum Bl Saft Q,

CHENOPODIACEAE

Chenopodium capitatum (L.) Asch.

- C. rubrum L.

 Afd (Morison)
- C. humile Hook.
- C. hybridum L.
- C. album L. B. S. D. S. J. L. D. B. B. Stip Heil Comb, el horis a Brown

C. album y. viride (L.)Moq.

C. murale 5.

C. urbicum L.

A. glabingenea Et monuton Fo Brig IB Ayartu Atriplex patula L. . BC. cl. BBulls

A. patula v. hastata (L.) Gray
Blook, Sty Benc. BC, BB, Sty Sty Sty Card.
hours a. H. J. Ste

A. patula v. littoralis (L.) Gray

a. maritima Hallier

Salicornia europaea L.

2. europ. v. pachystachya (Koch) Fernald

S. europ. v. prostrata (Pall.) Fernald

Suaeda maritima (L.) Dum.
OiltoRus, 8x9(Lalu),

- C. Richii Fernald
- C. americana (Pers.) Fernald

Salsola Kali L.

C. Kali v. caroliniana (Walt.) Mutt. Frenchman's Cone (Wag)

CARYOPHYLLACEAE

Spergularia rubra (L.) J. & C. Presl Htt. Stg. Stg. Rel. Carb. Whit agent.

- S. salina J.& C. Presl
- 2. leiodperma (Kindb.) F. Schmidt
- S. canadensis (Pers.) Don SIG. 1994. PS. 120, 121 horris a Fc. 1. August

spergula arvensis L. Berger, Signature Cont. White

Sagina procumbens I.

BC. Benc. Allie & B. Allie & B. Bence & For Print Tool

B. Live. v. compae to Lange.

S. apetala Ard.

S. occidentalis Wats.

S. nivalis

S. nodosa (L.) Fenzl.

Bloms, Humb. Sty, CH, BAS. PS, 200 12 12, 2018 6.4

Arenaria lateriflora I.

Millet Co. Ses. CH. Feet De. Set. Sec. 70 1-1.

A. macrophylla Hook.

A. peploides I. Brai, Blak, Quipon I.

A. pep. v. diffusa Hornen. Blad Fait Plower Core. St.

A. pop. v. maxima Fernald tril: lacus (W), Governors I, Factor

A. pep. v. robusta Fornald Brad, Besat

M. arctica Stor.
Coal R (Maph) Bloms, P. A.

A. arctica v. breviscapa Regel.

A. sajanensis Willd.

A. verna I. v. propinqua (Richardson)

Chimney Core & Engle (18) Mead, Albanson, Bellet & CH,

TRE. BAS JW. JC. Bry

A. verna v.propinqua f. epilis
Bloms, JC

A. verna v. hirta (Wormsk.) Watson

A. verna v. rubella (Wahl.) Wats.

dawsonensis Button March, Tab = FE

A. uliginosa Schleich.

A. groenlandica Sperng.

A. ciliata

A. Allinta v. hunifusa Cual RI Willows, Tab, Blis Pile.

Etellaria borealis Bigel.

S. uliginosa Murr.

ر الر أن ا

- S. crassifolia Ehrh.

 Brome 1. pt july Blad + Q. Brat, Fast PS, FC, StB, Brig.
- - S. glauca With.
 - S. longipes Goldie
 - S. long. v. laeta (Richards) T. & G.
 BlSabya, Ps. 313, Th. Ett.
 - E. long. v. Edwardsii (R.Br.) T. G. C.
 - E. longifolia Muhl.
- S. graminea L.

 Be, Beop Soy 6-2 1. N. De Signand, cl. morina, a.

 Tref Boules Whit

S. gracilis Richardson

2. media (L.) Cyrill.

1. sec. Refer Styl. Fact, H. J. J. J. Swith Style Style Fact, H. J. J. J. Swith Style Style Fact, He Boulls, White

S. media v. procera Klett & Richter

Cerastium arvense L. BC. Blones, SRDW, WH. S. M. 31

C. arv. y. latifolium

C. alpinum I..

C. asp. va. Canatum (Lam. / Hegetscher.

Stront (Hante)

C. Fischerianum Ser.

C. beeringianum Fisch.

Ang B', PS' Do St.

Bufés

BC. BCSAG. St.G. Steph, 519 137, 6 10 12 Sund. 30, 1840.

C. cerasticides (L.)Britton

Blom sup, BBsup, Coat R.

6. Atr- n. forms baghornic Dem. & brief,
Coat R.

Agrostemma Githago L.

Bloms. 131. . Vipe Stone Pour Dy d'Expos (M) & ...

h. apetala L.

L. affinis Vahl.

L. triflora

L. Flos-cuculi L.

Silene noctiflora L.

S. latifolia (mill.) Brit. & Rend.

- 19 th

Saponaria officinalis L.

PORTULACACEAE

Montia lamprosperma Cham.

Len J. (3), Bis. 100. Int. Quirpon I (lat.) 70. 1/2

... rivularis Gmel.

Claytonia caroliniana Michx. heat Cos Ray R (Bell)

NYMPHAEACEAE

Hymphach advena hit. v. variogates

(Engelm.) Fornald

(Engelm.) Forna

H. rubrodiscas (Morong) Groone
Whist (RW)

M. microphylla Pers). Tunal.

Sastalia odorata (Ait.) Roodv. & Wood

W. Oropa, har Redamicon Rich J. Con (109
F. Anne Lee, There B. & Lig (W), N. 1.94, N. 1.001.

. tetragona

Brasenia Schreberi Gmel.

RANUNCULACEAE

Ranunculus aquatilis L. v. capillaceus DC.

R. hodoracous L. C. J. new Hack (Wal), OpenHow Bonas,

R. glacialis L.

D. Cymbalaria Pursh

95; 86, CH, BC, M.S. K. K. K. C. P. B. Tek,

R. Cymb. v. alpinus Hook.

R. Pallasii Schlecht.

R. Purshii Richardson

Blad, FC: Save

T. Flammula L. Exg, QUR, 517. 1

ST. Penac. andistipolius losels,

ST. Penac. andistipolius losels,

Don Donalis (By.) 189,

LD, SK, BPS, BC: DC, Ren R. 59, 279, Inc. Ry. Junio.

Min. Cl. RP.

R. Flan. V. filifornis Hook. Besit & D. Tab, At. WC. 8F, S. M. 712, BT 172 12 3 i.c. Billi

R. nivalis L.

R. pygmaeus Wahl.

Sabinci Ribr.

R. affinis R.Br.

1195

R. sceleratus I. Harb, Grace + New H (fr), : 1

R. abortivus L.

Be. Bisaby Q. Orl, H. M. Sis. fr. 1. 1. 185. Fén

R. abort. v. eucyclus Fernald

R. recurvatus Poir.

R. sulphureus Sol.

N. septentrionalis Poir.

R. pennsylvanicus L.f.

Sheat Cod Roy (GB), B7, 1000000

R. Macounii Britton

R. repens L.

R. repens L.

BC, Styl, Styph, Hr. J. B. Plac, Sain, T. J. Mi. W. H. S. Switz, C. Fe, Bry, Tal! White.

BC. Bonc. B. Sab. Sig. Skps. Hol. Sig. Asuch. For Elle)

BC. Bonc. B. Sab. Sig. Skps. Hol. Sig. Rue, Bg. cans. whise

Comp. Vi. Khy. - Know. 1. 197. B7. Sig. Rue, Bg. cans. whise

R. FC. St. Nr. 1. 1 186.

R. acris v. Steveni Anddrg. Be,

Thalictrum alpinum L. Exts. Fate & Barb. Bland, Tate, Hr. Blind. Tet. Fitte Brig.

T. confine Fernald

T. polyganum Muhl.

1664. 98. 68. 879. FM. 1-11 10 879. 13 Emil et

160. 17 Febre 1 . 17. 14.

T. polyg. var. hebecarpum Fornald

Be, 4PSK. 3.5. St. B. J. ... Steps Tak, HT.

PS. 99 Ba. Stg. Kie. white

Anemone parveflora Hichx. Indet, Tak, AR. Blansto, Rs, St. Fetc. Big

A. Richardsoni Hook.

1. multifida Poir. ven Gudsomana DC.

A. riparia Bernald

A. canadensis L.

Clematis virginiana L.

C. verticillaris DC.

RC. Rend. Belan . H. To a Grante Paix.

C. radicans Forst:

C. natans Pall.

Coptis trifolia (L.) Ealisb.

C. P.P. Seem. REaC. No. 21A, Ellist C. Steph, Whit, 34
G. M. J. J. J. C. C. C. C. Carl. Whit, cl. norm a

Aconitum Mapellus L. Cap. Sup. 8.4.

Actaba rubra Willi.

BC, GP, L. J., Renc. Blissof & Tar H.J. . I Rich SIM. S.,

Tor. 9F, H. JC, BR, whit, houris a, BxB,

A. rubra f. neglecta (Gilla.) Robinson

Delphiniam elevane Geor.

PAPAVERACHAE

Papaver nudicaule L. v. arcticum

FULLARIACEAE

Funaria officinalis L.

Corydalis sempervirons (L.)Pers.

C. aurea Willd.

GRUCIFERAE

Draba alpina L. (Zalve)

D. algida Adams.

D. warmer

- D. glacialis' Adams.
- D. corymbosa R. Br.
- D. nivalis Dead 9 (gaa)
 - D. hirta I. New World I'
 - D. hirta v. arctican
 - D. rupostris R.Br. Twil', Pt Ricke
 - D. androsace Wahl.
 - D. crassifolia Gray

D. Wahlenbergii

D. megasperma Fernald & Mnowlton

D. pycnosperma Fern. & Knowlt:

D. incana L. Const. R. 1975 ... P.

D. incana v. confusa (Thrh.) Poir. Foy N (gas), CH. PS. FC

D. stylaris J. Cay

D. arabisans Hichx.

D. arab. v. orthocarpa Fern. & Knowlt. Rope Coun(N) Belakto. Bad.

D. arab. v. canadensis (Brunet) F. & K.

D. aurea Vahl.

D. stenoloba

Losquerella arctica (Richards) Wats.

I. arctica v. Purchii Tats.

Thlaspi arvensis I. stg. Carb,

Lèpidium ruderale L.

L. sativum L.

L. virginieum

Coronopus didyeus - (I.) Cm. Signist J. Carl. Whit

C. procumbens Gilibat

Subularia aquatica
Blasso, Expl. 1 Whit, BC, RP 11.

Capsolla Dursa-pastoris (L.) Moench.

BC, Blfat, Steph. HR, SI W. SR. Jur. S., L. 30, RZ, S7 (.
Kil. Carl. Cl. Detc., BBnd.

Hutchinsia procumbers (2.1 Desc, 6. 01119510a G.A. Moyor
Coste (M), Lacis (260) Quirpon Hack.

Camelina sativa (L.) Crantz

C. microcarpa Andrz.

Meslia paniculata (L.)Desv.

Cakile elentula (Digel.) Mook.

Selet, & J. Ch. Tox. Flat Nay (Lett), Fortum B(N)

9B

Raphanus Raphanistrum L.

Brassica alba (L.) Boiss.

B. arvensis (L.) Ktze.
BC. Steph. HR. KM. HF. Sty Carb

B. juncea (L.) Cosson.

L. nigra (L.) Koch

B. campestris L.

B. Hapus L.

Diplotaxis muralis (L.) DC.

D. tenuifolia (L.)DC.

Eutrema Edwardsii R. Br.

E. labradorica

Cisymbrium officinal (L.) Scop.

S. offic. v. leiocarpum DC.

C. altissimum L.

E. canoscons Nutt. v. brachycarpon ((Richards) Wats.

Braya purpurascens (R.Br.)

R. humilis (C.A.Meyer) Robinson

Mesperis matronalis L.

E. asperum DC. Chimhey Core (4)

E. pygmaeum

Cochloaria anglica ...
Cl. Stg. Funt 9. Bace 9, Barrer 9, Fogo Blog.

- C. tridactylites Panks breaken, Flores Cone, PS' 1841
- C. danica L.
- C. groenlandica L.
- C. officinalis L.
- C. groenl. v. oblongifolia (DC.)
- C. funostralis R.Br.

Radicula Masturtium-aquaticum (L.) B.& R. 8/9/Rrs), ST 9.

R. sylvestris (L.) Druce from Signature

P. palustris (L.) Moench

R. palus. v. hispida (Desv.)Robinson

R. Armoracia (L.) Robinson

Tarparea vulgaris T.Br.

B. vulgaris v. Van janta van Caranta

B. orthoceras Ledeb. Elsabyk, Red, Fort, S.F. RF

Parrya arctica R.Br.

Dentaria diphylla Michx.

Cardamine bellidifolia L.

C. bellid. v. laxa Lange

- Bless, Steph. Dy (w) sig. To be
 - C. digitata Richardson
 - C. pennsylvanica Muhl.

Arabis glabra (L.) Bernh.

- A. humistrata
- 1. humistr. v. pubescens
- A. Hookeri

13. Salva, P. E.L., Ch. Fred. To

A. Holboelli Hornen.

A. Collinsii Fornald

A. brachycarpa (T.& G.) Dritton

A. Drummondi Gray

1. hirsuta Scop.

DARRACENIACEAE

Sarracenia purpurea I..

BC, Gp, SY, BFS, BL, SYS, SYS, Sept., Tab Ht. Sum.

BC, Gp, SY, BFS, BL, SYS, SY, Sept., Tab Ht. Sum.

Whit St. PJS FJ- Ex- Tal.

DROSERACEAE

D. rotund. v. breviscapa Regel

D. rotund. v. comosa Fernald

D. linearis Goldie

CRACCULACEAE

Tillaca aquatica L.

and I

T. Vaillantii Willi.

Sedum villosum Z.

Sedum triphyllum Haw.

5. Telephium X.

Besalto, Brad. Ch. Fret. Smith 30 . Wit Fore

S. stoloniferum Grel, Etg

SAXIFRAGACEAE

Caxifraga stollaris L.

C. stel. v. comosa Poir. (The)

S. hieracifolia W. & K.

C. nivalis L

S. virginiensis Michx.

S. rivularis L. Spanthony (N)

S. hyperborea R. Br.

S. cornua L. (Gashé)

S. Hirculus L.

S. flagellaris Willd.

S. tricuspidata Retz

S. aizoides L. men. Bessiero, Tal HE. Des. Del. 12 Fete Brig

Close CH. BS. Englie (M) Homes Cover 188, Englie (M)

E. uniflora R.Br.

S. silenifdora Sternb.

2. Aizoon Jacq.

2. oppositifolia L.

More, Midel Tag, Blit Di. G. H. Henitage B(W)

Férent

S. Seum L.

Apd (Steinhauer in herb durand acc. to ch.C.D.

Witella nula L.

Chrysosplemium americanum Schw.

Parnassia parviflora DC.

Off. CH. J.B. Chimney Cone (N), Gorocalm (N).

P. palustris i. Planer Cove te Inform Bay (Likyl.)

P. Motzebuei G.G.S.

p. caroliniana Michx.

N. Oxyacanthoides L. v. saxosum (Hook.)
Fernald

R. Oxyac. v. calcicola Fernald

R. Grossularia L.

D. nigrum E. tark. St.

R. hudsonianum Richardson

R. lacustre Poir.

BC. Come. Man. S. Belson V. Sept. Tab. H.R. W. J. S. Je, BJ. et, novin a. Total.

R. triste Pall.

R. trist.v. albinervium (Hichr.) Formald, Ge. K. C. Tal. 40 Blomb,

S. tomentosa L.

Sorbaria sorbifolia (L.)A.Br.

P. melanocarpa (Michk.) Willa.

P. anericana (Marsh.) DC.

BC. Sp. Sn. L. C. Pan C. Ships. Hill, CH. 97. M. Miller M. Bry

P. sitchensis (Room.) Piper

BC, Ht. Lesseb. Foot. What. GF. Q. Mg, Il. M. M. A. C. L. D. C. M. M. J. C. M. M. J. C. L. M. M. J. C. M. J. C. M. M. J. M. J. C. M. M. J. C. M. M. J. M. J. C. M. M. J. M. J. M. J. M. M. J. M.

P. aucuparia (L.)Ehrh.

142 Amelanchier detalomajordillicians a. Caevis Mejand 6+ J. Whit, 97 a law was nitidal hig.) Hom. 5+ J. Sec. BF, 97. Rl. 1. Spicata Wig, Tale Bartramana (Tausch) Roem. 10,97,58 1.85. Blen SYD. Blant 6 . SI; Hi, Grand & Rade at the Following Foundation Run Car RIBUI & Stepain & 10 69. Crataegus monogyna Jacq.

C. columbiana Howell V. Humotiana (Cargont) Eggloston

C. rotundifolia Moench.

- C. rotund. y. Faxoni (Sarg) Egglest.
- C. macrosperma Ashe
- C. mac. v. acutiloba (Carg.) Egg.

Fragaria virginiana Duchesne BC. HR, Think B/W), m. A. M. H. H. T. L. ST. Confidence Cl. BR. M.

F. virgin. v. terra-novae (Rydh.)

F. Ricalia, 19, W. Ca. Fell JB. Man. Notice, 59:10.

32.8: 10.65 | FC. Syl. E.

F. multicipita Fernald

F. vesca L.

7. vesca v. americana Porter

Sibbaldia procumbens L.

Potentilla arguta Putsh

P. Morgania Desir Land, Midy.) Lehm.

Polation Sty. M. House, Hawke H. P.S. Whit.

P. venap. v. norvegica (L.) Tylb.

P. Honsp. v. labradorica (Like.) Firmald

P. pertinata Raf.

P. argentea L.

- P. pulchella R.Br.
- O. dissecta Pursh
- P. nivea L. PterRiche Tab
 - P. Vahliana Hook.
- P. Machilata Rotari.
 - P. frigida Vill.
 - P. emarginata Pursh
 - P. Ranunculus

P. palustris (L.) Scop. Co. L. Sec. 18

P. palust. v. villosa

P. palust. v. serisea

P. fruticosa v. tenuifplia Lehm.

P. tridentata Ait.

E. S.E. Ars. Blows to, Block a Selection for the Sec. Selection of the Selection o

P. anserina L.

13 ald Dec

P. Anserina v. sericea

- P. pacifica Howell

 Be, Belove, See, Steps. J.B. CH, Prac. 30, Kil Sant. cl.

 hoven a fe stille.
 - P. Egedii
 - P. canadensis L.
 - P. canad. v. simplex (Michx.) T. & G.
 - P. procumbons Sibth. 1849. 1849. 1849.

Filipendula Ulmaria (L.) Máxim. Rc (244)

Goum virginianum L.

BE, Macrophyllum Willd.
BE, Macrophyllum Willd.
BE, Macrophyllum Willd.
Be, F, Tan. 2. in 1/1.
Burch Je Sty. Cl. Fek

G. strictum Ait.

C. rivale L.

E. G. P. Least. D. Elsahira. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. Least. D. L. Salar C. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. Least. D. Salar C. Styl. Tab. H. Teep. Ch. Salar

M. S. S. S. S. Least. D. Salar C. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. S. Least. D. Salar C. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. S. Least. S. Salar C. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. S. Least. S. Salar C. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. S. Least. S. Salar C. Styl. Tab. H. R. Teep. Ch. Salar

M. S. S. S. S. Salar C. Style Salar C. Style

C. pulchrum Fernald

G. triflorum Pursh

Aft (Connack acc to Stroke)

G. Rossii Seringe

G. Peckii Pursh

Dryas integrifolia Vall.

PS. Tab. Engle (Blanks) Ponerty line, It Rich. Force
Bry.

D. integ. v. canescens Simons

D. Drummondii Tichardson

Rubus idaeus La

349

J. id. var. extriposes (height.) Max.

To idaeus v. canadensis Richardson.

60, 80, 50, 605, 12.0. 60 and 1.0. 60 and 1.0. 55ph, 11.

Frat white structure all Pals 1000 100.00

- P. idaeus v. caudatus (Robins: & Echrenk)
- R. Chamaemorus L.

 An Ar. March 16. S. 4. Stepher Tag. Black Assets

 Ithir R. arcticus L.

 R. arcticus L.

R. arcticus II. Planes Coul, Ruis Planes Coul, Ruis

R. arcticus v. Francislorus Lodeb.

Denes C. Quirpont, Cross (Lake) PS, CH, Glen, Pière,
BF. GF. RP. Milly, To. St. 1.

R. pubsicens BC. Or. SX 875. Blom AVE. of Later Styl. Tak. H.C. Man. Ellistic Com. AVE. AVE. The Lot 877. Red 139.

R. castoris Pries

- N. alleghaniensis Porter
- N. glandicaulis Blanchard
- R. pergratus Blanchard
- F. Randii (Bailey) Pydb.
- T. canadensis L. var, septemplialatius Blandens 1. CPS, J. J. E. Torbay (Orab), Popo, itrrish, De ay Bay Brook (Ball).
 - R. setosus Rigel.

R. vermontanus Blanchard :

R. hispidus L.

Bry Whit Mig (Saly) DA Pure (Saly).

sew Harb. The

R. ree. was. armatus Femail
Bright Whit Dig Helanare);
Alchemilla arvensis Scop.

1. protest Tracking

a. Filicaulis (Puser) & (1)
Horrer Cone, Quirp Hash, Shraelt, Mach,
Romain Br. St. G., Dayces,

a. vuef. var. vestita (Bresel) Fint W. Blfat. & Q. Flower Cove,

Agrimonia striata Michx.
Salm R(RK). Monk H(Etg.)

Sanguisorba canadensis L. There deaf (Pulp)

BC, LP, SX, EPS. Bloms (1). Blood (a). Styr. Tab H. Jak.

#5, Man, Eggt, Silver, Tab. White.

S. sitchensis C.A. Meyer

Rosa acicularis Lindl. v. Bourgeauiana Crepin

R. blanda Ait.

R. rubiginosa L.

R. Mitida Willd.

DC. GP. SX. BPS. Sty. Steph. (2) 110 116 11. 519, 11

R. carolina L.

R. virginiana Mill. 549/5494. Mc. Sea. Seg M. M. G. G. H. Kei. et.

54.64.57. 0 . July.

Prunus virginiana I.

BPS, Blomstå, Tak, HK, Hami, Salue, 97, George JAJA.

32.64

P. pennsylvanica L.f. 67.54 M. W. B. Bernel Enry of But W. W. B. B. B. White White

P. pumila In

P. nigra Ait.

LEGUMINOSAE

Trifolium arvense L.

Po, Re, Dest. Str. Ser. W. Le. P. Str. Ald St. Mills.

R. hybridum I.. BC. HR. Se. P. Whit, Sight, GF. M. M. M. 1879. horis a

T. agrarius L.

T. procumbens L.

Lupinus nootkateusis Dom.

Molilotus officinalis (L.) Lan.

W. indica (L.) All.

M. alba Desv.

Modicago lupulina L.

Lotus corniculatus L.

Astragalus alpinus ... Chimrey Come (W)

A.alpinus v. Brunetianus Fernald

A. frigidus (Richardson) Gray v. americanus (Hoók.) Wats.

A. eucosmus Robinson Blab, 93.67 O. arctica R.Br.

O viscida Aut. Gasp.

O. campestris DC. v. caerulea Koch Tab. ch. Prach. Sc.

Hedysarum alpinum

II. alp. v. americanum

Tab., S.7. B7.

H. Mackengi Richardon (mackengi misc) Vicia sativa I Sty,

V. angustifolia (L.) Richard

V. angust. v. segetalis (TMuill.) Moch

V. angust. v. unitera. (an traction).

V. tetrasperma (h.) Moench

V. hirsuta (L.) C.F. Gray

V. Cracca L. Be. 18. Sig. M. J. Ba. Sig. Zand. horrisa.

Bathyrus maritimus (L.) Figel. BCSatra, CH. Fort. SR. Cl. File.

L. marit. v. glaber (Der.) Hames CH. Ayerta

L. marit. v. aleuticus Greene

L. palustris L.

L. pae., vas, macranthus (7.9. White) Ism. chrimney Cone (W). Dry.

L. palust. v. linearifolius Ser.

L. palust. v. pilosus (Cham.) Ledeb. CH, Alalta. P.S. Stg, - 4.57. 154. 161 d. Levin a forc,

L. praterisis hay thought in matrice we indicate by notes of LaParl. AMPhicarpa monoica (L.) Ell.

DINACEAE

Linum catharticum L. Humb.

Millograna Radiola (L.) Druce

OXALIDACEAE

Oxalis Montaus Raf.

O. corniculata L.

GERANIACEAE.

Geranium pratense L. Fogo 9 (JAS) IW. Carb.

G. Robertianum II. SEA, Chimney Cove (W), S.

G. Bicknellii Britton

Erodium cicutarium (L.)L'Her.

POLYGALACEAE

Polygala paucifolia Willd.

EUPHORBLACEAE

Euphorbia hirsuta (Torr.) Wiegand

E. maculata L.

L. Helioscopia L.

E. Cyparissias L.

CALLITRICHACEAE.

Callitriche palustris I..

Blacker, Suph, HR. Glof, B. C. Ev. Ly. 1.6

nit (RT) B whit, Expl. Or, int.

C. anceps Fernald Black to, Black,

C. Automatio I.

Bl Seb + Q. Green hard (M) ins. f (N)

EMPETRACEAE

5. nigrun V. purpurous (Paf.) DC.
Skim, L. D. D. W. M. V. J. Towage, 87).

I. nigrum v. andinum (Phillipi) DC.

Corema Conradii Torr.

Prince & col

ANACARDIACEAE

Rhus typhina L.

R. Toxicodendron L.

AQUIFOLIACEAE

Ilex verticillata (L.)Gray

I. vert. v. tenuifolia (Torr.) Wats.

Vemopanthus nucronata (L.) Till.

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 17. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

16. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

17. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

18. 18. 5 ArS, men. J. Sty. Tak, plan, to 16. 6.00

18. 18. 5 ArS, men. J. Sty. Tak, pla

ACERACEAE

Acer pennsylvanicum L.

1. spicatum Lara. Best, Steph. Tak, HB, Man 97, Hl. 144 - Smok. Sc. B4. Sty Kil. 1 - St. cl. Morris a PAD

A. saccharia Marsh.

A. rubrum L.

B. C. SX, BPS, Bloms FD, Tab, HR, English

Et, N. M. L. 184. C. N. in G. Pal

BALSANINACEAE

Impations pallida Mutt.

I. biflora Walt.

Steph. P. 3 H. C. A.C. A. B. T. Mis . 77. a. horis. C.

Sig Total

RHAMNACEAE

Rhannus alnifolia L'Hor.

Bo. Chi., Ris., Sinc. Pal., My. Proc. N. S. Times.

MALVACEAE -

Malva rotundifolia L.

M. verticillata L.

II. grispa L.

M. moschata L. St.). Curl

HYPERICACEAE

Hypericum perforatum L.

H. punctatum Lam.

H. ellipticum Hook.

H. boreale (Britton) Bicknell 5: 12. S. E. S. g. NH. B7, SIJ, Kil. BJ. Whit. G7.Cl RP.

H. mutilum L.

H. majus (Gray)Britton

H. canadense L. Cc. \$16, 8-5, 97. ... 97. 87 519 il cont Fix Comp.

H. virginicum I.

BI, E.S. G. Sanda J. J. J. B. H. S. J. W. G. J. - 6.

Grand. Cl. This Book.

ELATINACEAE

Elatine americana (Rursh) Ara.
BC, white,

CISTACEAE

Hudsonia ericoides I. Barred For, Baccalian J.

H. tomentosa Nutt.

Y. tomen v. intermedia Peck

VIOLACEAE

V. septentrionalis Greene

V. Zelkirkii Pursh

V. palustris L.

V. lanceolata L.

V. pallens (Banks) Brainerd

Be, St. St. 185 B. C., Bl. 184 G., Strik, Ht., Gland,

Be, St. St. 185 B. C., Bl. 184 G., Strik, B. C., Chis. 186 Cand. White St. 186 Can

V. incognita Broinerd

By ic. Ps. . The Control of the Control of

V. incog. v. Forbesii Frainerd

to. Benc. West, Brook. W. A. F. C. P. C.

V. scabriuscula Schwein.

V. canadensis I.

V. conspersa Reich.

V. labradorica Schrank

Ep. Ch. 18 1. Market Tak, Gara, Port, 13. Cabi

A. Maria Control & C. Pat Forte

/// V. adunca Sm.

V. arenaria DC.

V. arvensis Hurr.
S+9 (R*S) S7).

ELAEAGNACEAE

Elaeagnus argentea Pursh

Shepherdia canadensis Nutt.

Lythrum Balicaria X.
novrisa, ONAGRACEAE

Ludwigia palustris (L.) Ell.

Epilobium angustifolium II.

BC. S. F. S. F. C. F. C.

B. angust. f. albiflorum Haussk.

STO.

Frank Lake (C. Bryant)

E. latifolium I. Bonsweiture (Cormack), Bell & Bruki, Brie de Caronge (Kald), Komes Cone, Franklass, Grank Doyles, &

E. molle Torr.

Bed", Whit, newHaw (Way)", BF, Miller, Structer

E. palustre L. Selve Sty. Alahli Hi The Child, Chil

... palustre v. labradoricum Haussk.

6. pal. v. altaicum Hausst.

E. palustre v. monticola Haussa.

OB. CH. LE. HT. BT. STO. BS Earl, Ch. A. T. T. L.

E. palustre v. longirameum

E. tetragonum L.

F. coloratum Muhl.

E. aden. v. perplexans Trel.

E. glandulosum Haussk.

Pia Coold (Banks), Quirfon 9 (Xelul), Contine to

wor. Carliophullum Itman

Ex g. Ps. Marb.

E. alpinum I.

For. CH. Marb. BC, Block St. 12.

E. Mornemanni Reich.

形成

E. anagallidifolium Lam.

Oenothera muricata L. 840, 87.87.

O. biennis I.

O. Perinus II. " De de la 197, S=

HALORAGIDACHAE

Myriophyllum alterniflorum DC.

11. Halbescens Firmald.

II. verticillatum L.

M. vert. v. pectinatum Wall.

.. Farwellii Morong

II. tenellum Bigelow

RC. QV. Acutt (W) 40, LV. 30 Cl. NV.

Hippuris vulgaris L. Besser Jack Ho. Ho. Syl. 14. Fe & Ball.

H. vulg. v. maritima

Aralia racemosa L.

A. hispida Vent.

A. nudicaulis L.

10. Par and 200 Arthur yr . 34.849 Niver in the fe Sin. Bij

Panax trifolium L.

UMBELLIFERAE

Canicula Harilandica L. (10.)

Hydrocotyle americana 5.

Osmorrhiza Caaytoni (Michx.) Clarke

O. longistylis (Torr.) DC.

O. obtusa (Coult. A Rose) Fernald

O. divaricata Mutt.

Conium maculatum L.

Cicuta maculata L. Wzw# (N).

C. bulbifera L.

Carum Carvi I.

BC, Sleph, Genf. Off. T.M. 19. 2.1. #2 14

Sium cicutaefolium Sghrank

Ligusticum scothicum 5.

Aethusa Cynapium L.

Coelopleurum artanisation (2.15 tuan)

Pastinaca sativa L.

Heracleum lanatum lichx.

1. C. C. Marta. Tab. Ar in institute of the second

1,2

Conioselinum chinense (L.) BEP.

States States Take 1 20, 100, 10.

C. Guelini

C. Aumilia Raso Bloms BBS Starth Fe Angelica aylvestris L.

Daucus Carota L.

CORNACEAE

Cornus canadensis I..

Ke. Et. SK. Kes. Ruc. Rims. Bilon r. Dig. L. ph. Tot. L.R. E. D. Tart.

8th 11 to 2 and life of horris a. KB. PuB des T. A. R. C. R.

C. canaden. v. intermedia Farr
cs. Paux Basques (C+6), Flower Core

Black of Fall (Box), Portany Bargues (CTK), Channel (HFK), PNB.

C. Amomum Hill.

C.

C. alternifolia L. BC. Blond, Bennife. Steph. Tab. H. 14 B7. hander to

ERICACRAE

Chimaphila umbellata (L.) Nutt.

Moneses uniflora (L.) Gray

BC. Benc. Bt-G. Steph. Blomd. CH. Sum. Fort. White III. H. S. Lp. JC. B. F. Steph. Lp. JC. B. J. Carl. horris a . Forte

Pyrola minor L.

P. BOCUNDA L.
BC. Siem. Binc. Steph. Pa P. T. . Mark. Sij 1997 HA.
DR. Lb. JC. BJ. S1J. Cl. horrin a Bt.

P. secunda v. obtusata Turcz Be, Benc, Ps. Bb. Ff.

P. chlorantha Sw.

St. W. Shad Extracation (Sals). Fact of letters are

Re.

P. elliptica Mutt.

rotandifolia X., not arenario Med. 8 K. oh 1. And Caro (Will), Western Bay Concept (65T), Lit Tietlove. Mile J., Blom (Et 9), Et Geo (Kill).

P. grandiflora Radius

P. asarifolia Hichx.

P. asar. v. incarnata (Fisca.) Fornald

Monotropa uniflora L.

Mene Sty. Steps. Tab. H. Ps. Vine W. (Rol) Her. R. Line G. F. B. J. Carl. Normis a. Brief

M. Hypopitys I. mars, Tab. Stort. Ps. Explication. My.

Pterospora andromedea Nutt.

L. palustre L.

L. palust. v. dilatatum Wahl. Chan (H+K.).

Rhododendron canadense (L.) BSP.

BC, EP, SX, Rems. Sty, Stepp. STY (A.) EF, In), Quick.

NH FR, 30 BAST Rise BD. Rus W. C. hornisa.

PaB BBills

R. lapponicum Wahl. Bloms. Tab. Flower Cone. &C.

Loiseleuria procumbens (L.) Desv.

Seem, Bellini. Tel. Blomes 12. Fact. Margo. Prince. P. Fiche. P. France.

K. polifolia Wang.

5P. SX. BPS, Blows, Blocks J. Stry C. T. Brance True, n.

19 Jan 19 J. C. S. Strand J. Stry C. T. Brance T. True, n.

19 J. T. J. Strand J. L. Stry C. Str

Phyllodoce caerulea (L.) Gren. & Godr. Bland,

Cassiope hypnoides (L.)Don

C. tetragona (L.)Don

Calluna vulgaris Salisb.

"hero Captin Gay, Flory Land, Renews; Stornamys : I refused Bay (tr)

head of Smary's Bay. "Trepassey Bay, also very abundant".

Andromeda poilfolia L.

arbutus Unedo L.
"Summits afhiles meas Bonaventure (Cormactetars. 8)

A. glaucophylla Link.

Be. Sp. St., Aps. Ober. Older: STE. 20 ps. Tel Blind, DB.

Brush, Gentler 18 50, Server Lat. Pt. A. D.E. A. ST. 94, A.C.

PYB 70 2, Rep

Epigaea repens L. 30. Plans Steph. Tab. NR. Elm D. Pale

Gaultheria procumbens L.

N. Breton (W) St Geo (Hautsenian)

Arctostaphylos Uva-ursi (I. Mpreng.

a.M.-n. v. coactilis Dom. Y Machor.

Gaylussalia baccata (Wang.)H. Koch

18-2-

6. dumosa (Andr.) T. & G. v. Bigoloviana
Fornald

849. Styl. Whit, Little Sylve. Patt. Tap

Vaccinium canadense Richards

V. pennsylvanicus. Lan.
He see Bre Bre Brown in Styn. Ten, Car. Brown, and, and
company the see that the see t

V. penn. y. ryrtilloides (Michx.) Fernald

V. penn. v. nigrum Wood.

V. penn. v. angustifolium

Re. 58. Co. 1. M. Calen. St. 1. April 1. A. S. Maria St. 1. April 1. Apr

V. caespitosum Michx.

V. membranaceum Dougl.

V. nubigenum Fernald

V. ovalifolium Err.

V. Oxyc. v. ovalifolium Michx.

V. macrocarpon Ait. (...

A. Olimente Michigan Cont. ...)

G. M. Carrier (L. C. C.)

DIAPENSIACEAE

Diapensia lapponica L. Sim. musje, Col Seb + C. Flow D. Last. HN. Pub.

PLUMBAGINACEAE

Etatice Care (Print) (Wallr.) Hubb. + Bl.

S. lab., vas. submitica Hubb. +Bl.

Park Cool! Pt Riche, BBsent, Bloman, Seep. River

Lewis Hills (Sant)

Limonium carolinianum (Walt.) Aritton L*9 (Yalul)

PRIMULACEAE

Primula farinosa L.

France Cove & Jones Fernal

P. far. y. americana Torr.

P. far. v. macropoda Fernald Caf. Blas. CN. PS. Ju.JC.

P. mistassinica Michx.

BC. Bloms. Fig. 751 h. Co. J. H. B. 97. 17. Q. W. 1. 6 80.

FC. 8C. Gir.

P. egalikensis Hornem.

P. sibirica Jacq.

Camolus floribundus HBK.

Lysimachia punctata L.

L. terrestris (L.) BEP.

Steph. Gent. 48, white (100) The BT significant and the fact that the state of the s

L. nummularia L.

L. thyrsiflora L.

Steironema ciliatum (L.) Raf.

Glayx maritima L.

G. marit. v. optusifolia Fernald

Centunculus minimus L.

OLEAGEAE

Fraxinus americanus L.

F. nigra Marsh.

Gentiana nosophila Holm
313, Pat. Ch. Engis (RiTau, a) Homel Cone, Olo Forollo.
848, 841.

- C. Amarolla L. X. acita (ii Ax.) Merater Relsab. St. 12. Flower Cove, Quirpon Hack, Parsons P(May). Cow H(Ruks), St9(Et9). Ell. 12.
 - G. aurea L.
- G. propingua Richardson Occipon I (Huntomen), Stanthony (Hunts), Flores Cone 1.
 - G. nivalis L.

Louatagomium
Plourogyno rotatam(I.) Friosi).

Plourogyno rotatam(I.) Friosi).

Plourogyno (XaRel), Haub Bok(N)
Ploure Come, March Bok(N)

Halonia doflexa (C.i.) Criesb.

51. April 18. Marie 19. Carlo F.

Fab Crists. Telly 18thills

Eartonia iodandra Fobinson RC. Sto. Styl. Holy (Fr), Q. T. J. . Pak

Hymphoides lacunosum (Vent.) Fernald RC.

APOCYNACEAE

Apocynum androsaemifolium L. BP. Experion 123,63.

A. medium Graene

A. cannabinum L.

Sea, Capable (Bell Shipe (M) Special Englished Tope of (M) norin a Bolus,

C. sep. v. pubescens (Gray) Fernald

C. arvensis: L.

Cuscuta Gronovii Willd.

POLEMONTACEAE

Gilia linearis (Mutt.) Gray

BORAGINACEAE

Lappula deflexa Garcke

L. echinata Cilib.

Symphytum officinale L. Si, (RM) Harb-Grace (M) Si

Lycopsis arvensis L.

Myosotis scorpoides L.

1. laxa Lehm.

M. arvensis (L.)Mill.

Nertensia maritima (L.)C.F.Gray

Lithospermum officinale L.

Echium vulgare L.

Cynoglossum officinale L.

C. boreale Fernald

Omphalodes binifolia (J. / Moench...

LABIATAE

Scutellaria lateriflora L. Dur Krinicke (W) Reservices

epilobiifolia Adamilt.

2. gerioriata I.

219, F. Can Maria 110 Maria 12 167, 163 Min.

Chima R. S.

Nepeta Cataria L.

N. hederacea (L.) Trev.
Be. Seof. Stg (1878). Kil, Carl. Bloths
W. hed. V. parriflow (Benth/Wines:

Galcopsis Tetrahit .

G. Tet. v. bifida (Boen.) Lej. & Cout.

Lamium amplexicaule L.

L. hybridum

Signification of the Ballion

Leonurus Cardiaca L.

Stachys palustris L.
Sig (1977), Sig. Kil, end. BBalls White

2. palust. v. homotricha Fernald

Satureja vulgaris (L.) Fritsch haub, Best. Tek. (L.), Tab. Saim (L.)

Thymus Serpyllum L.

Bos. 12. 510. Style Control of the Bride Control of the Box of the Bride Control of the Bride

L. americanus Muhl.

Mentha spicata L.

M. cardiaca Gerarde

M. piperita J. ST): , cart?

1. gentilis L.

194

M. arvensis L.

Romaine Por, Man (1911), Coloring to the 18 thill

M. arven. v. canadensis (L.)Briq. relate in each his star marie of its

M. arven. v. lanata Piper

M. arven. v. glabrata (Benth.) Fernald Ha, My. Man

SOLANACEAE

Solanum Dulcamara L.

S. nigrum L.

Hyoscyamus niger L.

SCROPHULARIACEAE

Verbascum Thapsus L.

V. virgatum Stokes

Linaria vulgaris Hill

L. strasa Do.

L. Sepiem allman

Gerophularia nodosa L. Am. C. Mc. No. Meatons (N).

Cholono glabra L.

Supp. BC. Benc. AB. Mart.

F. Id. Lb. B7. 57 9, Bg. whize in man a Florida

11130

Mimulus ringens L.

M. moschatus Dougl.

Limosella aquatica L.

I. aquata Vatorii folia (Holf) Pars.

Llysanthes dubia (L.) Barnhart

Gratiola aurea muhl,

Pigitalis purpurea L.

Veronica longifolia L.

V. americana Schwein.

V. Beccabunga L.

V. scutellata T. ...

V. officinalis V.

200 min sty mil to mile or , will.

V. off., var. Townefortii (Vill) Reichent. V. Chanaodrys I.

V. alpina, L. v. unalaschensis C. & S.

V. serpyllifolia L.

V. humifusa Dickson,

V. arvensis L. Arwh (k) Ic carb, el. V agrestis L.

Castilleja pallida (L.) Sprong. v. septentrionalis (Lindl.) Gray

Euphrasia Oakesii Wettst. (Las)

E. Williamsii Robinson

E. Will, war. vestita Fern. Wief.

BB Blom. Tab.

E. purpurea Reeks

Fic. Cobe, Ing Bay, CH. B49.

T. Purp. vas.

T. Mandii (Pobinson) Fern. 8 heg

E. purp. v. Rani, f. elbiflora Fern. 8 wieg.

E. purp. v. Rani, f. elbiflora Fern. 8 wieg.

Lil, New 9.

Torb, Plac, Barreso, Ste, Steph Fo E. disjuncta Teru. & Wiff. Can W. Coast, Hamb & Eye R. ADB. Fo E. arctica Lange Harb. Pag.

E. americana Wetts.

E. canadensis Towns.

E they I can't have

F. Suiseniane South

E. stricta Host. Stg. Pak.

Odontites rubra Gilib.

Bartsia alpina L.

Pedicularis groenlandica Retz.

- P. lapponica J.
- P. pedicellata Sunge
- P. euphrasioides Stephan

P. palustris. L. S. p. (RH). S. p. (RH). S. p. Carb. Waterfail - Perfortable,

P. parviflora In.

- ". sudetica Willd.
- P. Langsdorfii Fisch.
- r. hirsuta L.

P. flammea L.

Rhinanthus Crista-Galli L.

R. Grist. v. faller 94.09.77.319. har in ear . Syt. Typ

R. oblongifolius Fernald

P. Kyrollae Chabert

P. stenophyllus (Schur.) Schinz &Thell.

R. groenlandica Chabert

LEHTIBULARIACEAE

Utricularia vulgaris L. v. americana RC,SK, 2144 (1) Sept. Est. Bloom Annual Oray FF. Galley Company Company Company

U. cornuta Michx.

U. clandestina Nutt.

Pinguicula villosa L.

alpina "..

OROBANCHACEAE

Orobanche uniflora I. Be, mart. Bent. Tot billio(M) 5,1/1.

PLANTACINACEAE

Plantago major L.

no. com a com no major Marine de la Marine del Marine de la Marine del Marine del Marine de la Marine d

- P. major v. asiatica (L.)Done.
- Talks
- ". eriopoda Torr.
- P. lanceolata L.

Littorella Gaiflori (L.) Asch.

Sherardia arvensis L.

Galium Aparine L.

- G. kamschaticum Steller St. Ben.C. BC,
 - G. boreale L.
- G. Nollugo L.
 - G. erectum Huds.
- - G. trifidum L. Blaste S. St. St. St. Cont. Cont.

- G. trif. v. halophilum Fernald & Wiegand Blat, Styl. Ps. Styl. Ps. Sta. cl. Fe
 - G. brevipes Fernald & Wiegand
- G. Claytoni Michx.
- G. labradoricum Wiegand
 130. Gr. Deletgo. A 7; Steph. Par. P8, CH. Wait HIW Y.F.
- G. triflorum dichx.

 Be, G. B. C. Bes S. L. J. Shaper in S. To. April 200 Sept. 1887 Sep

1 . Tay

Titchella repens L.

CAPRIFOLIACEAE

Diervilla Lonicera Mill.

Googe P. Bern, Stephi. Atg. Styling and a horizon a

Lonicera caerulea L. v. villosa (Hichx.)

Be, G.P. G.R., C.P.S., L. M. T. C. G., T. A. Hamb
JB. F. T. M.

L. caerulea v. calvoscons Farn. & Wieg.

L. canadensis Marsh.

L. oblongifolia (Goldie) Hook.

I. involucrata Banks

Linnaea borealis L.

Viburnum Opulus L. v. americana (Mill.)
Bc. &P.SK.BFS. Epikas Vy. M. Kantika Co.

Sambucus canadensis L.

S. racemosa L.

Be. SP. St. / PS. B. C. St. T. J. H.P. J. G. W. Int. C. C. Norring a.

Adoxa Moschatellina; L.

VALERIANACEAE

Valeriana sylvatica Banks BC, Tas, HR,

V. uliginosa (T.A G.) Nydb.

DIPSACACEAE

Knautia arvensis (L.) T. Coulter Sty (M), Stj. B. Brills

Campanula rapunculoides L. Sty. Com. el.

C. uniflora L.

C. rotundifolia L. St. Boff, Bloms, Berl, Bloms, St. St. Style Tr. Har No. 7. Manch, St. J. Style Tr. Har No. 7. Manches Tr. Har No

C. rotund. v. alaskana Gray

C. uliginosa Tydb.

LOBELIACEAE

Lobelia spicata Lam.

L. Kalmii L. Human, Be, M.R. S. Sph., Tal. Edmis. 47.

I. Dorthanna L. G. A. CVXIII J. Kensu. C. Jainh E. W. C. VXIII J. Kensu. C. Jainh E. W. C. VXIII J. Kensu. C. Jainh E. W. C. VXIII J. VXIII.

COMPOSITAE

Eupatorium purpureum L. v. maculatum (L.) Darl.

D. purp. v. feliosum Fernald

E. perfoliatum To.

E. urticaefolium Reichard

- S. latifolia L.
- C. bicolor L.
- S. hispida Muhl. F. F. mark, Bland, Tai, M. w. & 5= . W. Fa, Ice
 - S. hisp , V. disjunta Frum Steady Brook
 - S. hispida v. lanata (Hook.) Fernall
 - I al S. hisp. v. tonsa FEm. 13B" Blom perp. 8. hisp, vos. amostossa Fin -apsy Beach (W). L. Hacrophylla Pursh

18. 12 a Center Tel HA. & T. Walnute D. Look, Fact

- 3. mac. v. thyrsoidea (E. Meyer) Fernald Bli 2 Bloms .
 - C. calcicola Fernald It. Harry R

- C. Cutleri Fernald
 - 2. Randii (Porter) Britton
 - S. Fandii v. monticola (Porter) Fernald
- 2. chrysolepis Fernald
- C. racemosa Greene
- 2. downons Groone
- J. Manager
- - S. puberula Nutt.

Lumlis Push S. uliginosa Nutt. 8P. 88. Benus, Roue, Sty, Steph. Tab. HR. Geof, Eyloring 30.117.69.19.00.00.00.00.80.80.80 Schum, Vi pleasuter Fern 2. sempervirens L. Starm BB" Survey S. juncea Ait.

.. uniligulata (DC.)Porter E. E. Super AR, Remove & B. Jane, white, of Pats Prep S. milig & torras- nova (T891 Feman) C. rugosa Ait.

1, 2, 1/2 St. 18 Holler

S. ruf. sphapophila haves wied Cove

C. rug. v. villosa (Rursh) Fernald Be all of the first for the state of the state of · PRW.

C. nemoralis /it.

C. canadensis T.

E. lepida SC.

5. lep. v. fallax Therael Tops: 47, RP. Harrys Br.

C. serotina Ait.

C. serot. v. gigantea (Ait.) Gray

S. Bartraniana Finner.

2. graminifolia (L.)Calisb.

S. gram. v., Muttallii (Greene) Fernald.

B. fram. V. septentrionalis Fluxed,

Aster-macrophyllus L.

- 1. mac. v. velutinus Burgess
- A. mac. v. sejunctus Burgess
- A. radula Ait. Sum & Merika A. i Elice equipment in inches To the contract of the contract of
- A. rad. v. strictus (Pursh) Gray

 \$1.58 No St. 11 to No. 80. P. Ben 370, 12.

 2. To he.
 - A cordifolius L.
 - A. Lindleyanus T.G. C.
 - 1. Lindl. v. comatus Fernald

A. paniculatus Lan.

1. juncous sit.

a. johannensis Fern.

a. anticastensis Fern.

A. longifolius Lam.

A. long. v. villicaulis Gray

A foliaces Lind;

n, frondens hay

n, or, evicuan Flor.

A. novi-bolgii I.

a folia, o folia, an-

A. tardiflorus L.

A. tard. v. vestitus Fernald

A. foliaceus Lindl.

Soft Park

A. puniceus II.

Be sta par HR Saller II biliment G 22 Surve Whit

A. punic. v. firmus (Yees.) T.& G.

A. punic. v. oligocephalus Fernald

1 p. d. polonfus

A. umbellatus Mill.

PC Tak his A C. P. C. Manual Continues | B. Sand

A. acuminatus Nichx.

Pa B

A. nomoralis Ait.

A. nemoral. v. Blakei Porter

Pats a. finariifalius L. Noto (Cormack acc. to Hrok) 1. Subulatus Michx.

A. angustus (Lindl.) T.& G.

A. frondosus (Nutt.) T.& C.

Erigeron hyssopifolius Hichx.

Q. Ayes, 10 Williams Jems

E. philadelphicus L.

E. annuus (L.) Pers.

E. ramosus (Walt.) BOF.

E. uniflorus L.

e de la companya de l

E. alpinus L. The American

E. canadensis L.

markedata temes

E. acris L.

E. acris v. asteroides (Andrz.) DC.

E. acris'v. oligocephalus Fern. & Wieg. Blat. Hove

E. lonchophyllus Hook.

Antonnaria eucosma Fernald & Wiegand

A. alpina Caerto Va cara Forna Tiog.

a. strammea Fin.

1. hiporbosso isolepis meene

a. albicans Frunt Tab

A. fusca E. Melson

a. spathulata Jerusel Halyr', RP, Pt Riche, Tab,

A. labradorica Nutt.

A. canadensis Creene

A. occidentalis Greene

A. neodioica Greene Sig. Remies R. Kie, Gt. a. neod, v. a Hemata Ituers, BF, GF.

* 1000

A. neodioica v. gaspensis Ternald

1. petaloidea Fernald, ver out commbosadem

Anaphalia margaritages (I) R A H

Anaphalis margaritacea (L.)B. A.H. CP, C. J. D. Brad. No. 300 (J.) V., 97. Co. (C.) Co. (T.) Ellis Santa (L.) V., 97. Co. (C.)

Gnaphalium polycophalum Michx.

G. decurrens Ives

G. supinum L.

b, selignome.

All oly (hes) ... 3 C. 2 - 12.

Whise el hovin a 97, 008 Broken

222

G. sylvaticum L.

Be. Pap.

C. norvegicum Cunn.

G. norv. v.

Inula Helenium L.

Ambrosia artemisaefolia L.

Rudbeckia hirta L.

Bidens frondosa I..

B. frond. V. standouta Fem. & 549.

B. hyperborea Greene

B. tripartita L.

B. Letter dova

B. cernua L.

n , acijul.

Achillea Ptarmica L. Steph. Ac. Geof. PS. Stj. Reh

A. multiflora Hook:

A. Millefolium L.

A. Milliova nigrescens E. Meyer

A. lanulosa Mutt.

Anthemis Cotula L.

224 A. arvensis L.

A. arv. v. agrestis (Wallr.)DC.

Matricaria inodora L.

Sur P. My AF L. V. C. 1911, 2011 C.

M. grandiflora (Hook,) Britton

M. Chamomilla L.

T. Cham. v. coronata

M. suaveolens (Pursh.) Buchenau BC, Sty. Botto, R. I.

Chrysanthe um integrifolium Pichardson

- C. arcticum L.
- C. Leucanthemum L.
- - C. Parthenium (L.) Bernh.

Tanacetum vulgare L.

- T. vulg. v. crispun DC.
- T. huronense Nutt., vas. terrae-novae Femal.

Cotula coronopifolia !..

A. canadensis Michr. 94,84,

A. borealis Pall.

A. bor. v. Wormskioldii Bess.

A. vulgaris L.

A. Tilesii Ledeb.

A. Ételleriana bous.

A. biennis Willd.

A. Absinthium L.

Tussilago Farfara L.

Petasites palmata (Ait.) Gray
RC, BC, RCLA, Tal, Work Forte

- ". vitifolia Greene
- P. trigonophylla Greene
- P. sagittata (Ait.) Gray
- P. frigida Fries

Arnica alpina (L.)Murr.

A. plantaginea Pursh

A. Sornborgeri Fernald

A. gaspensis Fernald

A. chionopappa Fernald

A. mollis Hook.

A. mollis v. petiolaris Fernald

a. pulchella Fernal,

Erschtites hieracifolia (L.) Maf.

BC. Blac, Beaf, CH. Sig. = 3. 10. 30 per 19. 57 per cad. Cl. horina. 6. The Whall.

G. viscosus L.

2. sylvaticus L.

S. palustris (L.) Hook:

S. Jacobaea L.

E. Hookeri T. & C.

S. pauciflorus Pursh Blook, June.

- 2.39 S. resedifolius Less. (S. Firmaldii heen.)
 - S. discoideus (Hook.)Britton

0.

BC, BP, Beac, Papitas, Mr. 14, 19 19. 114. 123.

- S. Robbinsii Oakes
- S. Balsamitae Muhl.
- S. Balsam. v. paupercula (Michael) Fern.

 Et L. 23 200 Ding. Sum. 97, mg. RK. J.S. C. V. Teler.
 - S. Balsam. v. firmifolius Greenm.

C. Pseudo-Arnica Less.

Blebe 1 Fest, 28, Formu Hard, hotal Fc, 286.

C. frigidus Less.

Arctium Lappa L.

- A. tomentosum
- A. nemorosum
- A. minus (Mill) Pernh.

Carduus nutans L.

C. acanthoides L.

C. crispus L.

Circium lanceolatum (L.)Hill

60, 21 31 1. Man (Ref) ich cha el Fred)

C. muticum Hichx.

Total Control Sylver St. Total Control Sylver St. Sylver S

C. mut. v. subpinnatifidum (Brit.) Fern.

C. mut. v. monticela Fernald Bloms, Is, it les.

C. arvense (L.) Scop.

130, Bene, Sty. Steph. Tap. W. Coul. Et., horris.

C. arv. v. vestitum Wimm. & Graeb.

C. arv. v. integrifolium Wimm. & Graeb.

C. palustre (L.)Scop.

Onopordon acanthium L.

Centaurea Cyanus L.

C. Scabiosa L.

C. nigra I. Hund. Lever, Dec. Sig(Rrs) sig, Kis, Cent, whi

C. nigra v. radiata DC.

Cnicus benedictus L.

Hypochaeris radicata I.

Lapsana communis L.

Cichorium Intybus To

Leontodon autumalis L.

No 2:9, 29 to My. Na.sny row, not not not have a grant of the control of

Picris hieracioides L.

P. echioides L.

Taraxacum officinale Webber MC. Sto, Ecot. M.Ju. Jo. 97.579, ich un in inch. T. offic. v. palustre (Sm.) Plytt.

T. latilobum DC.

T. ceratophorum (Ledeb.) DS.

T. lividum

? T. phymatocarpum Yahl.

Sonchus arvensis L. Light, Der Wilder Ct.

S. arv. v. glabrescens Wimm. & Graeb.

C. oleareeus L.
Pice, 379, Earl. Try

236 S. asper (L.) Hill nert(M), 47, Cl.

Lactuca scariola L.

L. scariola v. integrata Gren. & Godr.

L. canadonsis L.

L. can. v. montana Britton

L. hirsuta Muhl.

L. spicata (Lam. Hitchc. Torker B(M) HK HT R-

Crepis nana Richardson

C. capillaris (L.) Wallr.

Prenanthes racemosa Michx.

- P. altissima L.
- P. altis. v. hispidula Fernald
- P. Poottii (DC.) Cray

Hieracium PiloseMa L.

H. aurantiacum L.

H. floribundum Wimm. & Graeb:

H. pratense Tausch.

W. florentinum All.

H. scabrum Michx.

H. murorum L.

H. Valgatur Frios Holys & Rocky (Les), 57). H. canadense Michx.

H. umbellatum L.

H. can. v. Tirturamen Hunces Western Bay (45.T.)" Cl. BF. Tab. y 'an . v. Kirsterman trues

INDEX TO FAMILIES.

Aceraceae	162
Alismaceae	2. 1
Anacardiaceae	161
Apocynaceae	188
Aquifoliaceae	162
Araceae	69
Araliaceae	173
Asclepiadaceae	-
Balsaminaceae	163
Betulaceae	85
Boraginaceae	18:
Callitrichaceae	
Campanulaceae	.^
Caprifoliaceae	2 41
Caryophyllaceae	157
Chenopodiaceae	1. 11
Cistaceae	15.
Compositae	e fe
Convolvulaceae	127
Cornaceae	176
Crassulaceae	136
Cruciferae	122
Cyperaceae	41
Diapensiaceae	184
Dipsacaceae	5 = 1
Droseraceae	135
Elaeagnaceae	1287
Elatinaceae	
Empetraceae	1.01
Equisetaceae	7
Ericaceae	177
Eriocaulaceae	\$.7
Euphorbiaceae	16
Fagaceae	***

Fumariaceae	122
Gentianaceae	197
Geraniaceae	, 2, 8
Gramineae	4 .
Haloragidaceae	17 1
Hydrocharitaceae	P .
Hypericaceae	1625
Iridaceae	40
Isoetaceae	11
Juncaceae	. 7
Juncaginaceae	5° 1 ° °
Labiatae	13:
Leguminosae	. ~ ~ ~ .
Lentibulariaceae	· · ·
Liliaceae	g
Liliaceae Lobeliaceae	
Loranthaceae	29
Lycopodiaceae	
Malvaceae	. , 3
llyricaceae	
Najadaceae	115_
Nymphaeaceae Oleaceae	11-
Oleaceae	172
Onagraceae	703
Ophioglossaceae	6
Orchidaceae	* Fr
Orobanchaceae	9,00
Osmundaceae	× *
Oxalidaceae	159
Papaveraceae	177
Pinaceae	12
Plantaginaceae	1
Plumbaginaceae	Service Services
rolygalaceae	155
Polygonaceae	S
Polypodiaceae	1
Portulacaceae	114
Primulaceae	184

Ranunculacege	116
Rhamnaceae	143
Rosaceae	180
Rubiaceae	2 - 1
Salicaceae	P. 1 40
Cantalaceae	9 8.
Sarraceniaceae	135
Saxifragaceae	386
Schizaeaceae	3
Scrophulariaceae	14
Colaginelliaceae	11
Solanaceae	15877
Sparganiaceae	1 -
Taxaceae	e for not a
Typhaceae	a r (a f
Umbelliferae	* 3 *
Urticaceae	5 ¢
Valerianaceae	A : .
Violaceae	156
Xyridaceae	la +

as Stricting in Mater - 190 Jot Internic - ichiraco puetta - He house a letter sie 4 3 alex Maria 4 . 1 - Comment of mino of a supplication of adjuste - Dran to distriction o - Annie man to come m. 11 calcreate - Palacrofel Ingo + n resplacation + Ruppia man and the contract of the contra - . : 1 so to Considera, Vimutico + " frantis, V, mae and ha 4 Linkspie + Pains nous, a Third amin i a Consult left, handyour La de con me conside - 11 Acciosa - ignajora news I'm the Care to the State of the second of Construm Terras - no. - C - montie recoració 4 Perceincition conclate - Kansmarlus heberase: 4 - Hardelm Carelle - " Flammera" - Andres etricta o the second seconds in - Good some the + " ferone ella a. ... ca. His in the in the vieraluseins Some caricina - Continue district - 15.00 c. - Englikum Rimin. mile . the + Conserve 1. Con C. W. Ener tring a Eagifale account and the desired on the Contract - Patridilla marchala The second second a in fraction because o A. A. A. C. 11-11. - Longer Language , Jan 6 350, co - acho this at places the $a = a \cdot a \cdot b_j$ - Je in com afficience - Coliticis Authoration + Tip from Second ar a de la companya d

. - + Sp. .. cis - 51 1.0 - 500, 11 " Chamber Son - Comment delication Callenna ornigario an offer each and horizon + frentime corplain + Comme district - Contabilities in o - Tillitian and Tilliano - Sometiment in - Weer of My Market + Exploration for the line - Juliantais pointion a september o - En a parala + Solidage Try y, amy low " calcicala " Menilis 12. ple neuin . Le pii on " To act , a minus 11 As ... it is a fight with. Exel file a conjunction Private to gar. V. Mica in of the Transactor Enterence p. V. canescens " i francisco it Exists the of a refer tate in with the training Para Junior Carron Tanke and well me to be in the

